


Design By Ramos & Bassols

Duo is a ceiling light with surface installation where the natural warm appearance of the oak wood on the inside is combined with the technical refinement of the aluminium metal wrap on the outside.

### Model Sheet



#### Finish

- 93 White  
RAL 9016
- 18 Graphite  
ADAPTA RF 9913
- 58 Cream  
RAL 7044

#### LED

2700 K / 3500 K / Tunable White

#### Control

DALI-2 / Push; 1-10V / Casambi

#### Optional

DALI or Casambi / DALI or Casambi / DALI or Casambi

#### Electrical connection

Surface Canopy

#### Light source

1 x LED PLATE 12W 350mA



#### LED

CRI>90 1100 lm 91.66  
2700 K / 3500 K / Tunable White

#### Driver

Constant Current 350 mA 110~240 V  
50~60 Hz



#### Application

Ceiling

#### Packaging

1 Box  
0.436 m x 0.436 m x 0.348 m  
Gross weight 6 kg  
Net weight 4 kg  
Vol. 0.0661 m<sup>3</sup>



#### Lighting effect

##### General

First layer of basic, general illumination



#### Photometric Data




Min. quantity, upcharge and extra lead time apply

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

Design By Ramos & Bassols

Duo is a ceiling light with surface installation where the natural warm appearance of the oak wood on the inside is combined with the technical refinement of the aluminium metal wrap on the outside.

## Model Sheet



<b>Finish</b>	 93 White RAL 9016
	 18 Graphite ADAPTA RF 9913
	 58 Cream RAL 7044
<b>LED</b>	2700 K / 3500 K / Tunable White
<b>Control</b>	Push; 1-10V / DALI-2 / Casambi
<b>Optional</b>	DALI or Casambi / DALI or Casambi / DALI or Casambi
<b>Electrical connection</b>	Surface Canopy


<b>Light source</b>	1 x LED PLATE 12W 350mA 
<b>LED</b>	CRI>90 1100 lm 91.66 2700 K / 3500 K / Tunable White
<b>Driver</b>	Constant Current 350 mA 110~240 V 50~60 Hz    

<b>Application</b>	Ceiling
<b>Packaging</b>	1 Box 0.436 m x 0.436 m x 0.348 m Gross weight 6 kg Net weight 4 kg Vol. 0.0661 m <sup>3</sup>



### Lighting effect

#### General

First layer of basic, general illumination



### Photometric Data



<b>Efficiency</b>	55.92 lm/W
<b>Coordinate System</b>	CG
<b>Total Flux</b>	779.09 lm
<b>Maximum Value</b>	431.43 cd



Min. quantity, upcharge and extra lead time apply

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

Design By Ramos & Bassols

Duo is a ceiling light with surface installation where the natural warm appearance of the oak wood on the inside is combined with the technical refinement of the aluminium metal wrap on the outside.

### Model Sheet



#### Finish

- 93 White  
RAL 9016
- 58 Cream  
RAL 7044
- 18 Graphite  
ADAPTA RF 9913

#### LED

2700 K / 3500 K / Tunable White

#### Control

Casambi / Push; 1-10V; DALI-2

#### Optional

Casambi / Casambi

#### Electrical connection

Surface Canopy

#### Light source

1 x LED PLATE 26W 500mA



#### LED

CRI>90 2068 lm 109  
2700 K / 3500 K / Tunable White

#### Driver

Constant Current 500 mA 110-240 V  
50-60 Hz



#### Application

Ceiling

#### Packaging

1 Box  
0.593 m x 0.785 m x 0.785 m  
Gross weight 20.6 kg  
Net weight 14 kg  
Vol. 0.3654 m<sup>3</sup>



#### Lighting effect

##### General

First layer of basic, general illumination



#### Photometric Data



Efficiency 51.35 lm/W  
Coordinate System CG  
Total Flux 1343.81 lm  
Maximum Value 801.14 cd

Min. quantity, upcharge and extra lead time apply

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

# Duo


4878

Design By Ramos & Bassols

# VIBIA

Duo is a ceiling light with surface installation where the natural warm appearance of the oak wood on the inside is combined with the technical refinement of the aluminium metal wrap on the outside.

## Model Sheet




<b>Finish</b>	 58 Cream RAL 7044
	 18 Graphite ADAPTA RF 9913
	 93 White RAL 9016
<b>LED</b>	2700 K / 3500 K / Tunable White
<b>Control</b>	Casambi / Push; 1-10V; DALI-2 / DALI-2
<b>Optional</b>	Casambi / Casambi / Casambi
<b>Electrical connection</b>	Surface Canopy

<b>Light source</b>	1 x LED PLATE 26W 500mA 
<b>LED</b>	CRI>90 2206 lm 98 2700 K / 3500 K / Tunable White
<b>Driver</b>	Constant Current 500 mA 110-240 V 50-60 Hz     50-60Hz
<b>Application</b>	Ceiling
<b>Packaging</b>	1 Box 0.593 m x 0.785 m x 0.785 m Gross weight 20.3 kg Net weight 14 kg Vol. 0.3654 m <sup>3</sup>



### Lighting effect

#### General

First layer of basic, general illumination



### Photometric Data



<b>Efficiency</b>	49.81 lm/W
<b>Coordinate System</b>	CG
<b>Total Flux</b>	1284.41 lm
<b>Maximum Value</b>	727.04 cd

Min. quantity, upcharge and extra lead time apply

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

Vibia Lighting, S.L.U.

Office / Oficina  
Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971  
Spain / Portugal T +34 934 796 970

[customer.service@vibia.com](mailto:customer.service@vibia.com)  
[vibia.com](http://vibia.com)