

JESOLO

Wall and ceiling lamp, with opal blown glass diffuser. The glass twists and locks into place. Base in epoxy-coated white metal with chromed ring (Jesolo Twis/Plus), or in white polycarbonate (Jesolo C2). LED version available for diameter 30/37cm.



C2 ? 30 LED/HALO/FLUO

LAMPING

Source	E27 A60
Total power	100W
Emission	diffused
Switching	dimnable acording to bulb
Tension	230V
Ip class	30D
Materials	polycarbonate + glass

Codes

JE2 EWW 42

Structure/Diffuser

white/opal white

PACKAGE

Package 01 40x40x21 cm / Gross weight: 2.5 Kg

Certificazioni



| Ø25 - 30 - 37 - 42 - 47 |



C2 ? 37 LED/HALO/FLUO

LAMPING

Source	E27 A60
Total power	2x60W
Emission	diffused
Switching	dimnable acording to bulb
Tension	230V
Ip class	30D
Materials	polycarbonate + glass

Codes

JE2 EWW 43

Structure/Diffuser

white/opal white

PACKAGE

Package 01 54x54x35 cm / Gross weight: 4 Kg

Certificazioni



| Ø25 - 30 - 37 - 42 - 47 |



C2 ? 42 LED/HALO/FLUO

LAMPING

Source	E27 A60
Total power	2x60W
Emission	diffused
Switching	dimnable acording to bulb
Tension	230V
Ip class	30D
Materials	polycarbonate + glass

Codes

JE2 EWW 44

Structure/Diffuser

white/opal white

PACKAGE

Package 01

47x47x18 cm / Gross weight: 4.9 Kg

Certificazioni



| Ø25 - 30 - 37 - 42 - 47 |



| 11 - 13 - 14

C2 ? 47 LED/HALO/FLUO

LAMPING

Source	E27 A60
Total power	2x75W
Emission	diffused
Switching	dimnable acording to bulb
Tension	230V
Ip class	30D
Materials	polycarbonate + glass

Codes

JE2 EWW 45

Structure/Diffuser

white/opal white

PACKAGE

Package 01 50x50x20 cm / Gross weight: 5 Kg

Certificazioni



| Ø25 - 30 - 37 - 42 - 47 |



TWIST ? 25 FLUO/LED/HALO

LAMPING

Source	E27 A60
Total power	60 / 11W
Emission	diffused
Switching	dimnable acording to bulb
Tension	230V
Ip class	30
Materials	metal + glass

Codes

JET EHW 42

Structure/Diffuser

white/opal white

PACKAGE

Package 01 33x33x20 cm / Gross weight: 1.7 Kg

Certificazioni



| Ø25 - 30 - 37 - 42 - 47 |



| 11 - 13 - 14 |

TWIST ? 30 FLUO/LED/HALO

LAMPING

Source	E27 A60
Total power	100 / 15W
Emission	diffused
Switching	dimnable acording to bulb
Tension	230V
Ip class	30
Materials	metal + glass

Codes

JET EHW 43

Structure/Diffuser

white/opal white

PACKAGE

Package 01 38x38x21 cm / Gross weight: 2.4 Kg

Certificazioni



| Ø25 - 30 - 37 - 42 - 47 |



| 11 - 13 - 14 |

TWIST ? 37 FLUO/LED/HALO

| Ø25 - 30 - 37 - 42 - 47 |



LAMPING

Source	E27 A60
Total power	2x60 / 20W
Emission	diffused
Switching	dimnable according to bulb
Tension	230V
Ip class	30
Materials	metal + glass

Codes

JET EHW 44

Structure/Diffuser

white/opal white

PACKAGE

Package 01 46x46x27 cm / Gross weight: 3.7 Kg

Certificazioni



TWIST ? 42 FLUO/LED/HALO

LAMPING

Source	E27 A60
Total power	2x60 / 20W
Emission	diffused
Switching	dimnable acording to bulb
Tension	230V
Ip class	30
Materials	metal + glass

Codes

JET EHW 45

Structure/Diffuser

white/opal white

PACKAGE

Package 01 51x51x27 cm / Gross weight: 5.5 Kg

Certificazioni



| Ø25 - 30 - 37 - 42 - 47 |



| 11 - 13 - 14 |

TWIST ? 47 FLUO/LED/HALO 2X75/20W

LAMPING

Source	E27 A60
Total power	2x75 / 20W
Emission	diffused
Switching	dimnable acording to bulb
Tension	230V
Ip class	30
Materials	metal + glass

Codes

JET EHW 47

Structure/Diffuser

white/opal white

PACKAGE

Package 01 55x55x27 cm / Gross weight: 7 Kg

Certificazioni



| Ø25 - 30 - 37 - 42 - 47 |



TWIST ? 47 FLUO/LED/HALO 3X60/20W

LAMPING

Source	E27 A60
Total power	3x60 / 20W
Emission	diffused
Switching	dimnable acording to bulb
Tension	230V
Ip class	30
Materials	metal + glass

Codes

JET EHW 48

Structure/Diffuser

white/opal white

PACKAGE

Package 01 55x55x27 cm / Gross weight: 7 Kg

Certificazioni



| Ø25 - 30 - 37 - 42 - 47 |



| 11 - 13 - 14 |

? 30 LED

LAMPING

Source	LED board
Total power	8W
Emission	diffused
Tension	100 / 240 V
Color temperature	2700K
Luminous flux	1000lm
Typ cri	83
Energy class	A+
Ip class	30D
Materials	metal + glass

Codes

JET LHW 43

Structure/Diffuser

white/opal white

Certificazioni



| Ø25 - 30 - 37 - 42 - 47 |



| 11 - 13 - 14 |

? 37 LED

LAMPING

Source	LED board
Total power	14W
Emission	diffused
Tension	100-240V
Color temperature	2700K
Luminous flux	1800lm
Typ cri	83
Energy class	A+
Ip class	30D
Materials	metal + glass

Codes

JET LHW 44

Structure/Diffuser

white/opal white

Certificazioni



| Ø25 - 30 - 37 - 42 - 47 |



| 11 - 13 - 14 |