



PANTHELLA FLOOR LAMP

The fixture emits a glare-free, soft and comfortable illumination. The opal acrylic shade leaves a diffused comfortable light atmosphere due to the translucent shade, the downward reflection from the inner shade and the reflection from the trumpet stem.



Verner Panton

Verner Panton (1926-1998) is famous for his inspirational and colorful personality. A unique person with a special sense for color, shape, light function and space. Over the course of his career, Panton introduced a series of modern lamps with personalities unlike any of his Scandinavian contemporaries.



Product info

Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Mounting

2.5 m. Cord with plug. On/off foot switch provided.

Finish

White opal acrylic.

Materials

Shade: Injection moulded white opal acrylic. Base: White, injection moulded ABS. Housing: White, injection moulded ABS. Diffuser : Injection moulded opal pmma.

Sizes and weights

width x Height x Length (mm) | 500 x 1290 x 500 Max 5.7 kg

Class

Ingress protection IP20. Electric shock protection II.

Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Light source

1x53W E27



Related products



Panthella 400 Table Lamp



Panthella 160 Portable Lamp



Panthella 250 Portable Lamp



Panthella 320 Table Lamp

Product variants

Light source

1x53W E27

Product description

Modern, all white, portable fixture.
Terse and iconic design
Matching table version available.

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, comfortable light.
Top hemispherical shade reflects light downwards

Design

Verner Panton

Material

Shade: opal acrylic, 1.5mm (0.06") thick.
Base: injection molded white ABS, 1.5mm (0.06") thick.
Stem: extruded steel, white wet painted, 1.5mm (0.06") thick.
Switch: on/off, phenolic, on cord.
Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight


5.748

Finish


White opal acryl

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product

Panthella Floor shade holder clear
 Panthella Floor tube
 Panthella Floor upper trumpet
 Panthella Floor legs with nut & washer
 Panthella Floor diffuser
 Panthella Floor bayonet base
 Panthella Floor Opal shade
 Panthella Floor tube paintet
 Panthella Floor upper trumpet
 White foot switch
 Panthella Floor/400 chrome nut

Variant number

5744610052
 5744163295
 5744163305
 5744610531
 5744167518
 5744167521
 5744167547
 5744167550
 5744167563
 5717000013
 5744610049

