


Vibia presents a wall lamp that integrates the LED light with the glass and making it pass through in such a way that it becomes invisible and then allowing it to appear out of nowhere.

Model Sheet



Finish  18 Graphite
ADAPTA RF 9913

LED 3000 K

Control Optical sensor

Electrical connection Surface Canopy

Light source 1 x LED STRIP 24V 10W



LED CRI>90 871.2 lm 87.12
3000 K

Driver Constant Voltage 100~240 V 50~60
Hz



Application Wall

Packaging 1 Box
0.76 m x 0.76 m x 0.27 m
Gross weight 11.6 kg
Net weight 4 kg
Vol. 0.1559 m³



Lighting effect

360° Surface Grazer

Full-circle grazing light.



Photometric Data



Efficiency 1
Coordinate System CG
Total Flux 445.29 lm
Maximum Value 188.65 cd/klm

Min. quantity, upcharge and extra lead time apply

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia presents a wall lamp that integrates LED light with glass; this model invites the use of colour and gradients to create and experience different atmospheres, making them as natural and subtle as possible.

Model Sheet

Finish  18 Graphite
ADAPTA RF 9913

LED TW + RGB K

Control PROTOPIXEL

Electrical connection Remote




LED CRI>90 940 lm 60.2
TW + RGB K

Driver Constant Voltage 220-240 V 50-60
Hz

LED 50-60Hz

Application Wall

Packaging 1 Box
1.16 m x 1.16 m x 0.35 m
Gross weight 24.8 kg
Net weight 11.5 kg
Vol. 0.4709 m³



Min. quantity, upcharge and extra lead time apply



Lighting effect

360° Surface Grazer

Full-circle grazing light.



Photometric Data




Efficiency 1
Coordinate System CG
Total Flux 940 lm

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Design By Diez Office

Vibia presents a wall lamp that integrates the LED light with the glass and making it pass through in such a way that it becomes invisible and then allowing it to appear out of nowhere.

Model Sheet



Finish 18 Graphite
ADAPTA RF 9913

LED 3000 K

Control Optical sensor

Electrical connection Surface Canopy

Light source 1 x LED STRIP 24V 17,2W



LED CRI>90 1504.8 lm 87.12
3000 K

Driver Constant Voltage 100~240 V 50~60 Hz




Application Wall

Packaging 1 Box
1.16 m x 1.16 m x 0.35 m
Gross weight 24.8 kg
Net weight 11.5 kg
Vol. 0.4709 m³



Lighting effect

360° Surface Grazer

Full-circle grazing light.



Photometric Data



Efficiency 1
Coordinate System CG
Total Flux 897.91 lm
Maximum Value 188.65 cd/klm

Min. quantity, upcharge and extra lead time apply

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty