


Hanging lamp. Design by Arik Levy. The opaque shade with LED light is suspended by the cable. Electronic control 1-10V, push-button.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

42 Blue M1
NCS S 5010-B10G

24 Beige M1
NCS S 2005-Y50R

11 Black
NCS S 8500-N

10 White
NCS S 0300-N

LED

2700 K / 3000 K / 3500 K

Control

NO DRIVER / Push; 1-10V / Casambi / DALI-2

Optional

DALI or Casambi / DALI or Casambi / DALI or Casambi

Electrical connection

Surface Canopy / Remote XXS / Surface Free Wire / Built-in XS

Light source

1 x LED 9W 350mA



LED

CRI>90 1041 lm 116
2700 K / 3000 K / 3500 K

Driver

Constant Current 350 mA 110-240 V
50-60 Hz



Application

Hanging


Packaging

1 Box
0.727 m x 0.727 m x 0.32 m
Gross weight 6.25 kg
Net weight 2.95 kg
Vol. 0.1691 m³



Lighting effect

Close Proximity

Lighting applications for illumination in close proximity to the user




Photometric Data



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Hanging lamp. Design by Arik Levy. The opaque shade with LED light is suspended by the cable. Electronic control 1-10V, push-button.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

42 Blue M1
NCS S 5010-B10G

24 Beige M1
NCS S 2005-Y50R

11 Black
NCS S 8500-N

10 White
NCS S 0300-N

LED

2700 K / 3000 K / 3500 K

Control

Push; 1-10V / DALI-2 / Casambi / NO DRIVER

Optional

DALI or Casambi / DALI or Casambi / DALI or Casambi

Electrical connection

Remote Micro / Surface Free Wire / Surface Canopy / Built-in XS

Light source

1 x LED 9W 350mA



LED

CRI>90 1041 lm 116
2700 K / 3000 K / 3500 K

Driver

Constant Current 350 mA 110~240 V
50~60 Hz

Dimmable LED IP20 Bi-volt 50-60Hz

Application

Hanging

Packaging

1 Box
0.537 m x 0.537 m x 0.36 m
Gross weight 4.8 kg
Net weight 2.25 kg
Vol. 0.1038 m³



Lighting effect

Close Proximity

Lighting applications for illumination in close proximity to the user



Photometric Data



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Design By Arik Levy

Hanging lamp. Design by Arik Levy. The opaque shade with LED light is suspended by the cable. Electronic control 1-10V, push-button.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

- 42 Blue M1
NCS S 5010-B10G
- 10 White
NCS S 0300-N
- 11 Black
NCS S 8500-N
- 24 Beige M1
NCS S 2005-Y50R

LED

2700 K / 3000 K / 3500 K

Control

DALI-2 / Push; 1-10V / Casambi / NO DRIVER

Optional

DALI or Casambi / DALI or Casambi / DALI or Casambi / DALI or Casambi

Electrical connection

Surface Free Wire / Surface Canopy / Remote XXS / Built-in XS

Light source

1 x LED 9W 350mA



LED

CRI>90 1041 lm 116
2700 K / 3000 K / 3500 K

Driver

Constant Current 350 mA 110~240 V
50~60 Hz



Application

Hanging

Packaging

1 Box
0.217 m x 0.217 m x 0.24 m
Gross weight 1.7 kg
Net weight 1.25 kg
Vol. 0.0113 m3



Lighting effect

Close Proximity

Lighting applications for illumination in close proximity to the user



Photometric Data



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty