

# Bind solo


## 6620

# VIBIA

Design By undefined

The Bind Solo spotlight allows for visual gradations as well as highlighting functional zones, objects and architectural elements.

## Model Sheet



### Finish

04 Black  
NCS S 8500N

24 Beige M1  
test ral

### LED

2700 K / 3000 K / 3500 K

### Control

NO DRIVER / CASAMBI / On/Off /  
PUSH DALI

Electrical connection Remote driver Built-in Micro

### Light source

1 x LED 4.3W 250 mA



### LED

CRI>90 451 lm 104.9  
2700 K / 3000 K / 3500 K

### Driver

Constant Current 250 mA 220-240 V  
50-60 Hz

IP20 50-60Hz

### Application

Ceiling


### Packaging

1 Box  
0.15 m x 0.15 m x 0.075 m  
Gross weight 0.68 kg  
Net weight 0.2 kg  
Vol. 0.0016 m<sup>3</sup>



### Lighting effect

#### Accent Spotlight

Narrow: Angles less than 20°. Suitable for generating high contrasts or projections at far distances.



### Photometric Data



Efficiency 75.909 lm/W

Coordinate System CG

Total Flux 334.0 lm

Maximum Value 3500.41 cd/klm

Min. quantity, upcharge and extra lead time apply

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

Vibia Lighting, S.L.U.

Office / Oficina  
Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971  
Spain / Portugal T +34 934 796 970

customer.service@vibia.com  
vibia.com