

OE QUASI LIGHT

The pendant has 12 LEDs embedded in the inner vertices of the geometric frame that are connected to light guides along the inner edges, creating an even illumination towards the reflector in the centre of the lamp. This layered white reflector emits the light spherically back into the room, resulting in a glare-free uniform light.



Olafur Eliasson

Artist Olafur Eliasson (Iceland/Denmark), born in 1967, works in a wide range of media, including installation, painting, sculpture, photography, and film. Since 1997, his solo shows have appeared in major museums around the world.



Product info

Information

This product is fitted with an integrated energy-saving LED light source. Should you wish to replace it, please contact Louis Poulsen so we can help you purchase the correct LED Replacement Kit. Please note that LED-replacement should always be carried out by an authorised electrician.

Mounting

Cable type: 4x0,75mm² with wire. Canopy: Yes. LED driver built into the canopy. Cable length: 4m.

Finish

Clear lacquered, pickled aluminium. Matt white reflector.

Materials

Frame: Aluminum. Reflector: Injection molded polycarbonate

Sizes and weights


width x Height x Length (mm) | 755 x 896 x 755 Max 21.2 kg

Class

Ingress protection IP20. Electric shock protection I w. ground.

Light source

LED 2700K 118W
Lumen: 2950



Information

This product is fitted with an integrated energy-saving LED light source. Should you wish to replace it, please contact Louis Poulsen so we can help you purchase the correct LED Replacement Kit. Please note that LED-replacement should always be carried out by an authorised electrician.

Product variants

Dimension	Light source	Lumen	Lighting control
Ø 900	LED 2700K 118W	2950	Dali
	LED 3000K 118W	3085	Wireless bluetooth

Design

Olafur Eliasson

Weight

Min: 21.192 kg Max: 21.225 kg

Dimensions


Ø 900

Finish


Dark aluminium

Light distribution diagrams

Cartesian



Isolux



Polar

