




Pure line in space.

Our track holds the models Dot, Mira, Spot, D10, D11 and D12 BINARIO.


Linea pura nello spazio.

Il nostro binario accoglie i modelli Dot, Mira, Spot, D10, D11 e D12 BINARIO.

Power right connector and power left connector installation



Power intermediate connector installation



The sizes are expressed in millimeters.

Tracks and profiles-Ceiling-Wall / Direct / Indoor

Material Metal - Polycarbonate


Finish **.03** Matt White **.04** Matt Black **.39** Matt White/Polished Gold **.49** Matt Black/Polished Gold

Note Ceiling and wall track system.

Sistema a binario da soffitto e parete.

Compulsory accessories / Accessori obbligatori

Installation kits / Kit d'installazione



Track 1 m / Binario 1 m	Not included
Matt White	1A2800300.01.00
Matt Black	1A2800400.01.00

Track 2 m / Binario 2 m	Not included
Matt White	1A2800300.02.00
Matt Black	1A2800400.02.00

Track 3 m / Binario 3 m	Not included
Matt White	1A2800300.03.00
Matt Black	1A2800400.03.00

End cap / Tappo di chiusura	Not included
Matt White	1A2800300.07.00
Matt Black	1A2800400.07.00



Connectors / Connettori



Power right connector / Elemento di alimentazione destro	Not included
Matt White	1A2800300.13.00
Matt Black	1A2800400.13.00



Power left connector / Elemento di alimentazione sinistro	Not included
Matt White	1A2800300.12.00
Matt Black	1A2800400.12.00



Power intermediate connector / Elemento di alimentazione intermedio	Not included
Matt White	1A2800300.16.00
Matt Black	1A2800400.16.00

Optional accessories / Accessori opzionali


Installation kits / Kit d'installazione

	Linear jointing connector / Connettore lineare passante		Not included
	Matt White	1A2800300.11.00	
	Matt Black	1A2800400.11.00	
	Linear insulating connector / Connettore lineare isolante		Not included
	Matt White	1A2800300.19.00	
	Matt Black	1A2800400.19.00	
	Internal L connector / Connettore L interno		Not included
	Matt White	1A2800300.09.00	
	Matt Black	1A2800400.09.00	
	External L connector / Connettore L esterno		Not included
	Matt White	1A2800300.08.00	
	Matt Black	1A2800400.08.00	
	Right T connector / Connettore T destro		Not included
	Matt White	1A2800300.14.00	
	Matt Black	1A2800400.14.00	
	Left T connector / Connettore T sinistro		Not included
	Matt White	1A2800300.10.00	
	Matt Black	1A2800400.10.00	
	X connector / Connettore X		Not included
	Matt White	1A2800300.15.00	
	Matt Black	1A2800400.15.00	
	Adjustable suspension cable / Cavo di sospensione regolabile		Not included
	Length 1500 mm	1A2800000.04.00	
	Length 3000 mm	1A2800000.05.00	
	Length 5000 mm	1A2800000.06.00	
	Cutting tool / Tronchese per taglio		Not included
		1A2800000.17.00	



Compulsory accessories / Accessori obbligatori

Luminaires / Corpi illuminanti




DOT BINARIO

13W
220-240V - 50/60Hz
2700K / 3000K
CRI >97
Driver integrated
DALI

CE IP20

Matt White - 2700K - DALI
Matt White - 3000K - DALI
Matt Black - 2700K - DALI
Matt Black - 3000K - DALI
Matt White/Polished Gold - 2700K - DALI
Matt White/Polished Gold - 3000K - DALI
Matt Black/Polished Gold - 2700K - DALI
Matt Black/Polished Gold - 3000K - DALI

1A2290300.27.01
1A2290300.30.01
1A2290400.27.01
1A2290400.30.01
1A2293900.27.01
1A2293900.30.01
1A2294900.27.01
1A2294900.30.01




DOT BINARIO 51

Max 10W
100-240V - 50/60Hz
ON/OFF
Bulb not included

CE IP20

Matt White - ON/OFF
Matt Black - ON/OFF
Matt White/Polished Gold - ON/OFF
Matt Black/Polished Gold - ON/OFF

1A3710300.00.00
1A3710400.00.00
1A3713900.00.00
1A3714900.00.00




MIRA BINARIO

8W
220-240V - 50/60Hz
2700K - 327lm / 3000K - 352lm
CRI >90
Driver integrated
DALI

CE IP20

Matt White - 2700K - DALI
Matt White - 3000K - DALI
Matt Black - 2700K - DALI
Matt Black - 3000K - DALI
Matt White/Polished Gold - 2700K - DALI
Matt White/Polished Gold - 3000K - DALI
Matt Black/Polished Gold - 2700K - DALI
Matt Black/Polished Gold - 3000K - DALI

1A0490300.27.01
1A0490300.30.01
1A0490400.27.01
1A0490400.30.01
1A0493900.27.01
1A0493900.30.01
1A0494900.27.01
1A0494900.30.01




SPOT BINARIO

21W
220-240V - 50/60Hz
Driver integrated
DALI
LED Module not included

CE IP20

Matt White - DALI
Matt Black - DALI
Matt White/Polished Gold - DALI
Matt Black/Polished Gold - DALI

1A0280300.00.01
1A0280400.00.01
1A0283900.00.01
1A0284900.00.01



D10 BINARIO


10W
220-240V - 50/60Hz
2700K - 266lm / 366lm
3000K - 316lm / 436lm
CRI >90
Beam 16° / 36°
UGR <19

Driver integrated
DALI

CE IP20

Matt White - 2700K - DALI
Matt White - 3000K - DALI
Matt Black - 2700K - DALI
Matt Black - 3000K - DALI

1A6250300.27.01
1A6250300.30.01
1A6250400.27.01
1A6250400.30.01



D11 BINARIO


20W
220-240V - 50/60Hz
2700K / 3000K
CRI >90

Driver integrated
DALI

CE IP20

Matt White - 2700K - DALI
Matt White - 3000K - DALI
Matt Black - 2700K - DALI
Matt Black - 3000K - DALI

1A6270300.27.01
1A6270300.30.01
1A6270400.27.01
1A6270400.30.01



D12 BINARIO

30W
220-240V - 50/60Hz
2700K / 3000K
CRI >90
UGR <19

Driver integrated
DALI

CE IP20

Matt White - 2700K - DALI
Matt White - 3000K - DALI
Matt Black - 2700K - DALI
Matt Black - 3000K - DALI

1A6290300.27.01
1A6290300.30.01
1A6290400.27.01
1A6290400.30.01



Compulsory accessories / Accessori obbligatori

Other accessories / Altri accessori



Lens / Lente		Not included	
Beam - 14°	2700K - CRI >97 - 983lm	DOT BINARIO	1A3090000.00.00
	3000K - CRI >97 - 1038lm		
Beam - 24°	2700K - CRI >97 - 943lm	DOT BINARIO	1A3100000.00.00
	3000K - CRI >97 - 996lm		
Beam - 36°	2700K - CRI >97 - 955lm	DOT BINARIO	1A3110000.00.00
	3000K - CRI >97 - 1005lm		
Beam - 50°	2700K - CRI >97 - 965lm	DOT BINARIO	1A3120000.00.00
	3000K - CRI >97 - 1016lm		



Lens / Lente		Not included	
Beam - 15°	2700K - CRI >90 - 1607lm	D11 BINARIO	1X0170000.02.00
	3000K - CRI >90 - 1681lm		
Beam - 24°	2700K - CRI >90 - 1624lm	D11 BINARIO	1X0170000.03.00
	3000K - CRI >90 - 1699lm		
Beam - 38°	2700K - CRI >90 - 1683lm	D11 BINARIO	1X0170000.04.00
	3000K - CRI >90 - 1761lm		
Beam - 50°	2700K - CRI >90 - 1544lm	D11 BINARIO	1X0170000.05.00
	3000K - CRI >90 - 1615lm		



Lens / Lente		Not included	
Beam - 15°	2700K - CRI >90 - 1978lm	D12 BINARIO	1X0160000.02.00
	3000K - CRI >90 - 2102lm		
Beam - 24°	2700K - CRI >90 - 2602lm	D12 BINARIO	1X0160000.03.00
	3000K - CRI >90 - 2721lm		
Beam - 38°	2700K - CRI >90 - 2662lm	D12 BINARIO	1X0160000.04.00
	3000K - CRI >90 - 2783lm		
Beam - 50°	2700K - CRI >90 - 2441lm	D12 BINARIO	1X0160000.05.00
	3000K - CRI >90 - 2552lm		


The sizes are expressed in millimeters.

Compulsory accessories / Accessori obbligatori


LED modules / Moduli LED



DG111 LED module / Modulo LED DG111		Not included	
16,7W - 15° - 500mA DC	2700K - 1648lm - CRI >90	SPOT BINARIO	1A4700000.27.20
	Energy Efficiency F - Dimmable		
16,7W - 15° - 500mA DC	3000K - 1682lm - CRI >90		1A4700000.30.20
	Energy Efficiency F - Dimmable		



DG111 LED module / Modulo LED DG111		Not included	
16,7W - 22° - 500mA DC	2700K - 1859lm - CRI >90	SPOT BINARIO	1A3890000.27.20
	Energy Efficiency F - Dimmable		
16,7W - 22° - 500mA DC	3000K - 1943lm - CRI >90		1A3890000.30.20
	Energy Efficiency F - Dimmable		



DG111 LED module / Modulo LED DG111		Not included	
16,7W - 36° - 500mA DC	2700K - 1795lm - CRI >90	SPOT BINARIO	1A3900000.27.20
	Energy Efficiency F - Dimmable		
16,7W - 36° - 500mA DC	3000K - 1890lm - CRI >90		1A3900000.30.20
	Energy Efficiency F - Dimmable		

BINARIO TRIFASE

/ 2007

Optional accessories / Accessori opzionali

Bulbs / Lampadine



LED - GU10 - PAR16				Not included
220-240V - 5,5W - 25° 3000K - 375lm - CRI >97 Energy Efficiency G - Dimmable	DOT BINARIO 51	1Y0330500		




LED SORAA - GU10 - MR16				Not included
230V - 7,5W - 10° 2700K - 390lm - CRI >95 Energy Efficiency G - Dimmable	DOT BINARIO 51	1Y1580210		




LED SORAA - GU10 - MR16				Not included
230V - 7,5W - 10° 3000K - 410lm - CRI >95 Energy Efficiency G - Dimmable	DOT BINARIO 51	1Y1580010		


Other accessories / Altri accessori



Darklight				Not included
LED SORAA - GU10 - MR16	DOT BINARIO 51	1Y1580040		



25° beam filter / Filtro fascio 25°				Not included
LED SORAA - GU10 - MR16	DOT BINARIO 51	1Y1580020		



36° beam filter / Filtro fascio 36°				Not included
LED SORAA - GU10 - MR16	DOT BINARIO 51	1Y1580030		

BINARIO TRIFASE


/ 2007

Optional accessories / Accessori opzionali


Other accessories / Altri accessori




Accessory holder + Honeycomb louvre / Porta accessori + Frangiluce nido d'ape				Not included
	DOT BINARIO	1X0080400.01.00		




Elliptical filter / Filtro ellittico				Not included
Standard	Compulsory with 1X0080400.01.00	DOT BINARIO	1X0080000.02.00	



Blue filter / Filtro blu				Not included
Standard	Compulsory with 1X0080400.01.00	DOT BINARIO	1X0080000.03.00	




Red filter / Filtro rosso				Not included
Standard	Compulsory with 1X0080400.01.00	DOT BINARIO	1X0080000.04.00	




Yellow filter / Filtro giallo				Not included
Standard	Compulsory with 1X0080400.01.00	DOT BINARIO	1X0080000.05.00	

Optional accessories / Accessori opzionali


Other accessories / Altri accessori




Accessory holder + Soft filter + Honeycomb louvre / Porta accessori + Filtro soft + Frangiluce nido d'ape				Not included
Matt Black		SPOT BINARIO	1X0070400.04.00	




Accessory holder + Elliptical filter / Porta accessori + Filtro ellittico				Not included
Matt Black		SPOT BINARIO	1X0070400.05.00	




Blue filter / Filtro blu				Not included
Standard	Compulsory with 1X0070400.04.00 / 1X0070400.05.00	SPOT BINARIO	1X0070000.06.00	




Red filter / Filtro rosso				Not included
Standard	Compulsory with 1X0070400.04.00 / 1X0070400.05.00	SPOT BINARIO	1X0070000.07.00	




Yellow filter / Filtro giallo				Not included
Standard	Compulsory with 1X0070400.04.00 / 1X0070400.05.00	SPOT BINARIO	1X0070000.08.00	



Directional fins / Alette direzionali				Not included
Matt Black		SPOT BINARIO	1X0070400.01.00	



Cylindrical screen / Schermo cilindrico				Not included
Matt Black		SPOT BINARIO	1X0070400.02.00	



Cone 30° / Cono 30°				Not included
Matt Black		SPOT BINARIO	1X0070400.03.00	

Optional accessories / Accessori opzionali

Other accessories / Altri accessori



Honeycomb louvre / Frangiluce nido d'ape				Not included
Matt White		D11 BINARIO	1X0170300.01.00	
Matt Black		D11 BINARIO	1X0170400.01.00	



Honeycomb louvre / Frangiluce nido d'ape				Not included
Matt White		D12 BINARIO	1X0160300.01.00	
Matt Black		D12 BINARIO	1X0160400.01.00	

