



## CATHODE

Omar Carraglia / 2015

A scientific looking bulb made from mouth blown glass.  
The shape brings to mind a light bulb that was never born.  
Think steampunk: situations in which instruments were inspired by  
the rudiments of electricity. The classic light bulb that has no future  
becomes a wonderful device made of luminous diodes.  
What would the past have looked like if the future had arrived first?  
Luminaire available also in ENDLESS version.

Un'ampolla di vetro soffiato a bocca dall'aspetto scientifico.  
La forma evoca quella di una lampadina mai nata, atmosfere steampunk,  
situazioni in cui le strumentazioni erano attivate dalle prime forme di elettricità.  
La classica lampadina senza più futuro diventa un apparecchio a diodi luminosi.  
Come sarebbe stato il passato se il futuro fosse arrivato prima?  
Apparecchio illuminante disponibile anche nella versione ENDLESS.

# CATHODE


Omar Carraglia / 2015

Suspension / Diffuse / Indoor

<b>Material</b>	Blown glass - Metal
<b>Finish</b>	<b>.03</b> Matt White <b>.08</b> Brushed Brass <b>.28</b> Polished Black Chrome

**Note** Suspension luminaire. Blown glass diffuser. Matt white rose and white cable for the matt white finish. Matt black rose and black cable for the other finishes. Single rose for more than one lamp on request. CATHODE 2: version with power cable only and without rose. CATHODE ENDLESS: luminaire dedicated to ENDLESS system (Max 48V DC - Max 150W - Max 4A). It can be used, on the same circuit, with the ENDLESS models.

*Apparecchio illuminante a sospensione. Diffusore in vetro soffiato. Rosone bianco opaco e cavo bianco per la finitura bianco opaco. Rosone nero opaco e cavo nero per le altre finiture. Rosone unico per più apparecchi su richiesta. CATHODE 2: versione con solo il cavo di alimentazione e senza rosone. CATHODE ENDLESS: apparecchio illuminante dedicato al sistema ENDLESS (Max 48V DC - Max 150W - Max 4A) ed utilizzabile, sullo stesso circuito, con i modelli ENDLESS.*



## CATHODE 1

Ceiling driver version  
5,6W  
100-240V - 50/60Hz  
2700K - 264lm / 3000K - 284lm  
CRI >90  
Driver integrated  
ON/OFF

CE IP20

Matt White - 2700K - ON/OFF	1A2980300.27.00
Matt White - 3000K - ON/OFF	1A2980300.30.00
Brushed Brass - 2700K - ON/OFF	1A2980800.27.00
Brushed Brass - 3000K - ON/OFF	1A2980800.30.00
Polished Black Chrome - 2700K - ON/OFF	1A2982800.27.00
Polished Black Chrome - 3000K - ON/OFF	1A2982800.30.00



## CATHODE 1

Ceiling driver version  
6W  
110-240V - 50/60Hz  
2700K - 264lm / 3000K - 284lm  
CRI >90  
Driver integrated  
DALI

CE IP20

Matt White - 2700K - DALI	1A2980300.27.01
Matt White - 3000K - DALI	1A2980300.30.01
Brushed Brass - 2700K - DALI	1A2980800.27.01
Brushed Brass - 3000K - DALI	1A2980800.30.01
Polished Black Chrome - 2700K - DALI	1A2982800.27.01
Polished Black Chrome - 3000K - DALI	1A2982800.30.01

Omar Carraglia / 2015

# CATHODE



## CATHODE 1

Ceiling driver version  
6W  
110-240V - 50/60Hz  
2700K - 264lm / 3000K - 284lm  
CRI >90  
Driver integrated  
PUSH

CE IP20

Matt White - 2700K - PUSH	1A2980300.27.04
Matt White - 3000K - PUSH	1A2980300.30.04
Brushed Brass - 2700K - PUSH	1A2980800.27.04
Brushed Brass - 3000K - PUSH	1A2980800.30.04
Polished Black Chrome - 2700K - PUSH	1A2982800.27.04
Polished Black Chrome - 3000K - PUSH	1A2982800.30.04



## CATHODE 1

Ceiling driver version  
6W  
110-240V - 50/60Hz  
2700K - 264lm / 3000K - 284lm  
CRI >90  
Driver integrated  
1-10V

CE IP20

Matt White - 2700K - 1-10V	1A2980300.27.03
Matt White - 3000K - 1-10V	1A2980300.30.03
Brushed Brass - 2700K - 1-10V	1A2980800.27.03
Brushed Brass - 3000K - 1-10V	1A2980800.30.03
Polished Black Chrome - 2700K - 1-10V	1A2982800.27.03
Polished Black Chrome - 3000K - 1-10V	1A2982800.30.03




## CATHODE 1

Ceiling driver version  
6W  
110-240V - 50/60Hz  
2700K - 264lm / 3000K - 284lm  
CRI >90  
Driver integrated  
TRIAC/IGBT

CE IP20

Matt White - 2700K - TRIAC/IGBT	1A2980300.27.02
Matt White - 3000K - TRIAC/IGBT	1A2980300.30.02
Brushed Brass - 2700K - TRIAC/IGBT	1A2980800.27.02
Brushed Brass - 3000K - TRIAC/IGBT	1A2980800.30.02
Polished Black Chrome - 2700K - TRIAC/IGBT	1A2982800.27.02
Polished Black Chrome - 3000K - TRIAC/IGBT	1A2982800.30.02




**CATHODE 2**

Remote driver version  
4W  
Max 350mA DC  
2700K - 264lm / 3000K - 284lm  
CRI >90  
Driver not included



Matt White - 2700K  
Matt White - 3000K  
Brushed Brass - 2700K  
Brushed Brass - 3000K  
Polished Black Chrome - 2700K  
Polished Black Chrome - 3000K

1A2980300.27.20  
1A2980300.30.20  
1A2980800.27.20  
1A2980800.30.20  
1A2982800.27.20  
1A2982800.30.20



**CATHODE ENDLESS**

ENDLESS version only  
6,3W - 0,16A  
48V DC  
2700K - 264lm / 3000K - 284lm  
CRI >90  
Driver not included  
See page ENDLESS




Matt White - 2700K  
Matt White - 3000K  
Brushed Brass - 2700K  
Brushed Brass - 3000K  
Polished Black Chrome - 2700K  
Polished Black Chrome - 3000K


1A2980300.27.40  
1A2980300.30.40  
1A2980800.27.40  
1A2980800.30.40  
1A2982800.27.40  
1A2982800.30.40

**Compulsory accessories / Accessori obbligatori**


**Drivers / Alimentatori**



Driver / Alimentatore				Not included
220-240V(100-127V)	350mA/17W(15W)/IP20/DALI	CATHODE 2	1Z0241180.350	




Driver / Alimentatore				Not included
220-240V(100-127V)	350mA/18W(15W)/IP20/PUSH - 1-10V	CATHODE 2	1Z0240870.350	



Driver / Alimentatore				Not included
220-240V	350mA/17W/IP20/TRIAC/IGBT	CATHODE 2	1Z0240850.350	

**Optional accessories / Accessori opzionali**

**Suspension kits / Kit di sospensione**




Decentralization kit / Kit decentratore			Not included
	CATHODE 1	1A0360000.00.00	




Kit ceiling rose and decentralizer / Kit rosone e decentratore				Not included
Matt White	Transparent cable 3 m included	CATHODE 1	1A0770300.00.00	
Matt Black	Transparent cable 3 m included	CATHODE 1	1A0770400.00.00	



Recessed suspension kit for 12,5 mm plasterboard / Kit di sospensione da incasso per cartongesso 12,5 mm				Not included
Matt White	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm	CATHODE 2	1X0000300.06.00	
Matt Black	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm	CATHODE 2	1X0000400.06.00	



Ceiling suspension kit / Kit di sospensione da soffitto				Not included
Matt White	For electrical cables - 1 Piece	CATHODE 2	1X0010300.06.00	
Matt Black	For electrical cables - 1 Piece	CATHODE 2	1X0010400.06.00	




Wall adapter plate / Piastra di adattamento da parete				Not included
Matt White	For mounting on brick masonry walls	CATHODE 2	1X0050300.01.00	







CATHODE



## SUSPENSION KITS / KIT DI SOSPENSIONE

Recessed suspension kit / Kit di sospensione da incasso



Suspension kit for 12,5 mm plasterboard  
Plasterboard cut-out Ø 44 mm  
Minimum space for mounting 70 mm

Kit di sospensione per cartongesso 12,5 mm  
Dimensioni taglio cartongesso Ø 44 mm  
Spazio minimo per incasso 70 mm


Magnetic fixing  
Fissaggio magnetico



Version	Use	Product reference	Finish	Code
Recessed suspension kit 01	For suspension cables	SHANGHAI 1	Matt White	1X0000300.01.00
		SHANGHAI 2 SOTTILE 1 SOTTILE 1 DE SOTTILE 2 SOTTILE 2 DE	Matt Black	1X0000400.01.00
Recessed suspension kit 02	For electrical cables	MAGIA	Matt White	1X0000300.02.00
			Matt Black	1X0000400.02.00
Recessed suspension kit 03	For suspension cables	MASAI 1	Matt White	1X0000300.03.00
		MASAI 2 REFLEX S 1 REFLEX S 2 SPY	Matt Black	1X0000400.03.00
Recessed suspension kit 04	For electrical cables	ASINTOTO	Matt White	1X0000300.04.00
		REFLEX S 2 SHANGHAI 2 SOTTILE 2 SOTTILE 2 DE	Matt Black	1X0000400.04.00
Recessed suspension kit 05	For electrical cables	LOUIS XIV 2	Matt White	1X0000300.05.00
		SOTTOSOPRA 2	Matt Black	1X0000400.05.00
Recessed suspension kit 06	For electrical cables	CATHODE 2	Matt White	1X0000300.06.00
		LED IS MORE 2 MISS 2	Matt Black	1X0000400.06.00


## SUSPENSION KITS / KIT DI SOSPENSIONE

Ceiling suspension kit / Kit di sospensione da soffitto



Back plate for masonry ceilings  
Back plate per soffitti in muratura

Magnetic fixing  
Fissaggio magnetico



Version	Use	Product reference	Finish	Code
Ceiling suspension kit 01	For suspension cables	SHANGHAI 1	Matt White	1X0010300.01.00
		SHANGHAI 2 SOTTILE 1 SOTTILE 1 DE SOTTILE 2 SOTTILE 2 DE	Matt Black	1X0010400.01.00
Ceiling suspension kit 02	For electrical cables	MAGIA	Matt White	1X0010300.02.00
			Matt Black	1X0010400.02.00
Ceiling suspension kit 03	For suspension cables	MASAI 1	Matt White	1X0010300.03.00
		MASAI 2 REFLEX S 1 REFLEX S 2 SPY	Matt Black	1X0010400.03.00
Ceiling suspension kit 04	For electrical cables	ASINTOTO	Matt White	1X0010300.04.00
		REFLEX S 2 SHANGHAI 2 SOTTILE 2 SOTTILE 2 DE	Matt Black	1X0010400.04.00
Ceiling suspension kit 06	For electrical cables	CATHODE 2	Matt White	1X0010300.06.00
		LED IS MORE 2 MISS 2	Matt Black	1X0010400.06.00
Back plate	For masonry ceilings		Matt White	1X0050300.01.00