

# MIRA R

Omar Carraglia / 2015



A tool to light.

The luminaire is pure form, a simple container for the light source.  
Light is incorporated into the space, becoming an architectural element.

Elemento di luce.

Il corpo illuminante è forma pura, semplice contenitore della fonte luminosa.  
La luce si integra con lo spazio diventando elemento architettonico.


# MIRA R

Omar Carraglia / 2015

Recessed / Direct / Indoor

**Material** Metal  
**Finish** .03 Matt White .04 Matt Black .49 Matt Black/Polished Gold

**Note** Recessed luminaire. Adjustable in all directions. Plasterboard hole: 40x40 mm. Minimum space for recessed installation: 60 mm. *Apparecchio illuminante da incasso. Orientabile in tutte le direzioni. Foro del cartongesso: 40x40 mm. Spazio minimo per incasso: 60 mm.*




## MIRA R

5,6W  
Max 500mA DC  
2700K - 327lm / 3000K - 352lm  
CRI >90  
Driver not included  
CE  IP20


Matt White - 2700K	1A3690300.27.20
Matt White - 3000K	1A3690300.30.20
Matt Black - 2700K	1A3690400.27.20
Matt Black - 3000K	1A3690400.30.20
Matt Black/Polished Gold - 2700K	1A3694900.27.20
Matt Black/Polished Gold - 3000K	1A3694900.30.20

## Compulsory accessories / Accessori obbligatori


Drivers / Alimentatori



Driver / Alimentatore	Not included
220-240V(100-127V) 500mA/20W(15W)/IP20/DALI	1Z0241180.500



Driver / Alimentatore	Not included
220-240V(100-127V) 500mA/20W(15W)/IP20/PUSH - 1-10V	1Z0240870.500



Driver / Alimentatore	Not included
220-240V 500mA/20W/IP20/TRIAC/IGBT	1Z0240850.500

The sizes are expressed in millimeters.



