

PH 3½-2½ FLOOR LAMP

The fixture is designed based on the principle of a reflective three-shade system, which directs the majority of the light downwards. The shades are made of mouth-blown opal three-layer glass, which is glossy on top and sandblasted matt on the underside, giving a soft and diffused light distribution.



Poul Henningsen

The very influential Danish designer, architect, writer, and cultural critic, Poul Henningsen (1894-1967), has had a huge impact on Danish thinking and design. His legacy is an integrated part of Louis Poulsen's endeavor to shape light.



Product info

Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Mounting

2.5 m. Cord with plug. On/off foot switch provided.

Finish

Brass metallised, black metallised or high lustre chrome plated. White opal glass.

Materials

Shades: Mouth-blown white opal glass. Top plate and base: Brass metallised, black metallised or high lustre chrome plated, spun brass. Stem: Brass metallised, black metallised or high lustre chrome plated, steel.

Sizes and weights

width x Height x Length (mm) | 330 x 1300 x 330 Max 7.3 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Light source

1x70W E27



Related products



PH 5



PH 3½-3 Metal Pendant



PH 3½-2½ Metal Table Lamp



PH 3½-2½ Table Lamp



PH 3½-3 Pendant



PH 3½-3 Pale Rose Brass Pendant



PH 3½-2½ Aged Brass Floor Lamp

Product variants

Colour	Cable type	Light source	Switch
<input checked="" type="radio"/> Black metallised	Black cord	1x70W E27	Black floor switch
<input type="radio"/> Brass metallised	White cord		White floor switch
<input type="radio"/> High lustre chrome plated			

Product description

Portable fixture.

Terse and iconic design.

The size of the three shades is adjusted for optimum performance and comfort.

Interior surfaces of glass shades sandblasted to diffuse light.

Member of a family products of various sizes and type.

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, comfortable light.

Design

Poul Henningsen

Material

Shades: mouth blown white glass, 1.5mm (0.06") thick.

Struts: chrome plated steel.

Base: steel with chrome-plated brass cover.

Stem: extruded steel, chrome plated, 1.5mm (0.06") thick.

Switch: on/off, phenolic, on cord.

Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight


Min: 6.785 kg Max: 7.285 kg

Finish


Black metallised, Brass metallised, High lustre chrome plated

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product

Finger screw SS M3X12 (3pcs) lower
 Finger screw brass raw M3X12 (3pcs)lower
 PH 3½-2½ middle shade Opal glass
 PH 3½-2½ lower shade Opal glass
 PH 3½-2½ top shade Opal glass
 PH 3½-2½ copper screws middle shade 3 pcs
 PH 3½-2½ copper screws lower shade 3 pcs
 Black foot switch
 White foot switch

Variant number

5744610528
 5744611284
 5744162241
 5744162254
 5744162267
 5744164346
 5744164359
 5717000000
 5717000013