


PH 3¹/₂-2¹/₂ METAL TABLE LAMP

The louvre is 100% glare-free, with a design based on the principle of a reflective three-shade system, which directs most of the light downwards. The white painted lower surface of the top shade gently directs the light downwards. The two bottom mouth-blown opal glass shades ensure a large glare-free light surface, making optimum use of the light source to provide comfortable, functional lighting. The opal glass shades are shiny on the outside and matt on the inside.



Poul Henningsen

The very influential Danish designer, architect, writer, and cultural critic, Poul Henningsen (1894-1967), has had a huge impact on Danish thinking and design. His legacy is an integrated part of Louis Poulsen's endeavor to shape light.



Private
Residence,
Copenhagen



Fredericia Furniture Showroom

Product info

Mounting

Cord with plug. Cord length: 2.5 m. On/off switch provided.

Finish

Red, Green, Yellow, and White, powder coated.

Materials

Top shade: Spun aluminium. Other shades: Mouth-blown white opal glass. Shade holder: Silk matt brown brass. Stand: Silk matt brown brass.

Sizes and weights

width x Height x Length (mm) | 330 x 450 x 330 Max 2.5 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Light source

1x60W 1x60W E14



Related products



PH 5



PH 3½-2½ Floor Lamp



PH 3½-3 Metal Pendant



PH 3½-2½ Table Lamp



PH 3½-3 Pendant



PH 3½-3 Pale Rose Brass Pendant



PH 3½-2½ Aged Brass Floor Lamp

Product variants

Colour

- Green
- Red
- White
- Yellow

Light source

1x60W 1x60W E14

Product description

Portable fixture.

Terse and iconic design.

The size of the three shades is adjusted for optimum performance and comfort.

Interior surfaces of glass shades sandblasted to diffuse light.

Interior surface of top shade in white to direct light downward.

Member of a family products of various sizes and type.

Available in four colours.

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, comfortable light.

Design

Poul Henningsen

Material

Top shade: spun aluminum, 1.5mm (0.06") thick, wet painted.

Lower shades: mouth blown white glass, 1.5mm (0.06") thick.

Struts and socket cover: cast copper, bronze finished.

Base: steel with bronze finished, copper cover.

Stem: extruded copper, bronze finished, 2.0mm (0.08") thick.

Switch: on/off, phenolic, on cord.

Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight


Min: 2.509 kg Max: 2.509 kg

Finish


Green, Red, White, Yellow

Light distribution diagrams


Cartesian




Isolux




Polar




Cartesian



Isolux



Polar



Spare parts & accessories

Product

Finger screw brass raw M2X8 (3pcs)middle
 Finger screw brass raw M3X12 (3pcs)lower
 PH 3½-2½ middle shade Opal glass
 PH 3½-2½ lower shade Opal glass
 PH 3½-3 / 3½-2½ top shade Red Metal
 PH 3½-3 / 3½-2½ top shade Green Metal
 PH 3½-3 / 3½-2½ top shade White Metal
 PH 3½-3 / 3½-2½ top shade Yellow Metal
 Finger screw OB M3X12 (3pcs) lower
 Finger screw OB M2X12 (3pcs) middle

Variant number

5744611271
 5744611284
 5744162241
 5744162254
 5741095434
 5741095463
 5741095492
 5741095528
 5744611129
 5744611132