


# PH 4/3 PENDANT

The fixture is designed based on the principle of a reflective three-shade system, which directs the majority of the light downwards. The shades are made of metal and painted white to ensure uniform, comfortable light distribution.



## Poul Henningsen

The very influential Danish designer, architect, writer, and cultural critic, Poul Henningsen (1894-1967), has had a huge impact on Danish thinking and design. His legacy is an integrated part of Louis Poulsen's endeavor to shape light.



## Product info

### Mounting

Suspension type: Cable 3x0,75mm<sup>2</sup>. Canopy: Yes. Cable length: 3m.

### Finish

White, powder coated.

### Materials

Shades: Spun aluminium. Anti-glare disc: White, spun aluminium.

### Sizes and weights

width x Height x Length (mm) | 400 x 200 x 400 Max 1.1 kg

### Class

Ingress protection IP20. Electric shock protection I w. ground.

### Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On [www.louispoulsen.com](http://www.louispoulsen.com) we update a list of recommendable light sources.

### Light source

1x60W E27



## Related products



PH 5



PH 4/3 Table Lamp

## Product variants

### Light source

1x60W E27

# Product description

Suspended metal luminaire.  
Iconic design.  
Part of a wide family of multiple sizes.

---

## Mounting

Can be mounted on 4" octagonal junction box. (USA only)

---

## Light description

Glare free, mostly downlight distribution.

---

## Design

Poul Henningsen

---

## Material

Shades: spun aluminium, 2mm (0.08") thick, white powder coated, semi-gloss exterior and matte interior for diffuse light.  
Stem of spun aluminium, 2mm (0.08") thick, white powder coated.  
Glare shield of sheet aluminium, 2mm (0.08") thick, white powder coated. Removable for re-lamping by tool-less spring tabs.  
Socket: Porcelain, medium base for A-19, frosted envelope lamps.  
Socket position is adjustable to allow correct lamp position and fixture illumination.  
Canopy: 5.3" diameter x 0.9" tall cone of spun aluminium.  
Cable: white PVC coated, 12 ft. (USA)

---

## Weight

1.129


---

## Finish


White

# Light distribution diagrams


## Cartesian



## Isolux



## Polar



## Spare parts & accessories

### Product

PH 4/3 White cover plate  
 Bearing plate 18/56 F/Standard susp.  
 PH 4/3 Orange cover plate  
 Canopy White 2-part tophat ©

### Variant number

5741087552  
 5741481190  
 5741480997  
 5749329034