


# PH 5/5 PENDANT

The fixture emits a diffused and comfortable glare-free light, characteristic of the reflective three-shade-system by Poul Henningsen. The fixture is available with white opal glass or soft touch black painted metal with a white inner side. Where the metal shades with the white painted inner sides reflect a fine and primarily downward directed light, the metal top shade combined with translucent opal glass middle and lower shades in three-layered mouth blow opal glass create a warm glow around the pendant too. The included diffuser in frosted glass is easy to insert for an even softer light distribution.



## Poul Henningsen

The very influential Danish designer, architect, writer, and cultural critic, Poul Henningsen (1894-1967), has had a huge impact on Danish thinking and design. His legacy is an integrated part of Louis Poulsen's endeavor to shape light.



## Product info

### Information

Frosted glass bottom diffuser to ensure a diffuse light distribution. The LED diffuser has integrated reflective shield in white ABS to achieve a more even light distribution on the shades (can be removed if more light downwards is needed).

### Mounting

4 m. 2 x 1.5 mm<sup>2</sup> black textile cord. Specially designed matt black painted canopy for E27 included. Height adjustment of light source approx. 65mm depending on light source used. LED variants cannot be height adjusted.

### Finish

Matt black, powder coated. White opal glass or soft touch black painted with white inner side shades.

### Materials

Mouth-blown white opal glass or spun aluminium. Bottom diffuser: Frosted glass. Suspension: Aluminium. LED version: Additional opal PC diffuser in front of LED. Canopy: Aluminium.

### Sizes and weights

width x Height x Length (mm) | 500 x 430 x 500 Max 4.9 kg

### Class

Ingress protection IP20. Electric shock protection II w/o ground.

### Light source

1xE27



### Information

Frosted glass bottom diffuser to ensure a diffuse light distribution. The LED diffuser has integrated reflective shield in white ABS to achieve a more even light distribution on the shades (can be removed if more light downwards is needed).

## Product variants

Colour	Light source	Lumen	Class	Shade	Lighting control
● Metal black	1xE27	-	I	METAL BLACK	-
● Metal black/opal glass	LED 2700K	1193	II	METAL BLACK/GLASS	Dali
	LED 3000-1800K D2W	1392			Phase dimming (mains dimm)
	LED 3000K	1448			Wireless bluetooth
		1892			
		2208			
		2296			

## Design

Poul Henningsen

---

## Weight

Min: 2.681 kg Max: 4.899 kg


---

## Finish


Metal black, Metal black/opal glass

# Light distribution diagrams


## Cartesian



## Isolux



## Polar



## Spare parts & accessories

Product	Variant number
PH 5/5 glass middle shade	5741106640
PH 5/5 glass lower shade	5741106653
PH 5/5 Black metal top shade	5741106666
PH 5/5 Black metal middle shade	5741106679
PH 5/5 Black metal lower shade	5741106682
PH 5/5 Black metal shadeholder	5741106695
PH 5/5 LED Black metal shadeholder	5741106705
PH 5/5 frosted glass diffuser	5741106721
PH 5/5 LED diffuser shield	5741106734
PH 5/5 Black metal shadeholder	5741109469
PH 5/5 LED Black metal shadeholder	5741109472
PH 5/5 Pendant 3 x black shade screws	5741109485
PH 3/3 / PH 5/5 canopy	5741109498

