

# TOLDBOD 220 OUTDOOR WALL LAMP

The light is directed 100% downwards and the shade has a matt white painted interior emitting a soft, diffused, comfortable light. The fixture fulfills full cut-off criteria.



## Product info

### Information

The wall box and arm are painted in the same colour as the fixture head.

### Mounting

Terminal block: 1x3x2.5 mm<sup>2</sup>. Cable entries: 3x rear entries and 2x knock outs in bottom to Ø 10-14.5 mm cable. Looping: Approved, max. 3x1,5 mm<sup>2</sup>.

### Finish

Aluminium coloured with textured surface or black with textured surface, powder coated.

### Materials

Fixture head: Die cast aluminium. Shield: Injection moulded clear polycarbonate. Wall box: Die cast aluminium. Arm: Extruded aluminium.

### Sizes and weights

width x Height x Length (mm) | 220 x 225 x 345 Max 3.6 kg

### Class

IP43. IK09. Electric shock protection I w. ground.

### Light source

1x100W E27

### Information

The wall box and arm are painted in the same colour as the fixture head.



## Related products



Toldbod Pendant



Toldbod Glass Pendant



Toldbod 155 Outdoor Wall Lamp



Toldbod 155 Bollard



Toldbod 290 LED Upgrade Kit



Toldbod 290 Post



Toldbod 290 Outdoor Wall Lamp

## Product variants

Dimension	Colour	Light source	Lumen	Lighting control
Ø 220	<input type="radio"/> Aluminium colour texture	1x100W E27	-	-
	<input checked="" type="radio"/> Black texture	LED 2700K 9.7W	854	Dac: dali + clo
		LED 3000K 9.7W	890	Dpc: nightdim + clo
		LED 4000K 9.7W	913	

## Design

Louis Poulsen A/S

## Weight

Min: 3.549 kg Max: 3.604 kg

## Dimensions


Ø 220

## Finish


Aluminium colour texture, Black texture

## Light distribution diagrams


### Cartesian



### Isolux



### Polar



## Spare parts & accessories

Product

Toldbod 220 Wall diffuser

Variant number

5743590487

