

FLOS

F6367041 Green Wall

Superarchimoon outdoor Green wall


Designed by Philippe Starck, 2000



Light source not included.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

Mounting	Floor
Environments	Outdoor wet location
Light source type	Bulb
Light sources included	No
Lamp holders	E27
Iicos	HSGS
Number of lamps	1
Power (W)	250

Physical

Colour	Green Wall
Orientation	Adjustable
Length (mm)	790
Net weight (kg)	160.3
Package volume (m3)	1.46
IP internal	55

Download

Mounting instructions [↓ PDF](#)

Mounting instructions [↓ PDF](#)


Photometric Files

LDT / IES [↓ ZIP](#)


Technical Drawings

2D [↓ ZIP](#)

3D [↓ ZIP](#)



Schematic light drawing



Photometric

Lighting type	Direct
Light distribution	Symmetric
Beam angle C0-180 (°)	74
Beam angle C90-270 (°)	74
Extreme cut off	No


Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Plug type	Type C
Emergency	No
Batteries inside	No
Charging min time	NO

Notes

Light source not included. HSGS E27: 1x250W or 1 LED: 21W - 2450 lm - 3000K
We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire.

Bulbs



NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K
DIMMER




NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K
A65 Dimmable

Spare Parts



- 03. Superachimoon Outdoor Cover RF6376200
- 04. Superarchimoon Floor support RF6372200
bag kit



RF6376200

Superarchimoon Outdoor Cover



RF6372200

Superarchimoon Floor support
bag kit