

COMMON LAMP COLLECTION

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection
- Versatile and functional table and floor lamp series
- The lamp comprises a classic rice paper lantern design atop a slim stem and base
- The stem is made of steel, with the base crafted in steel or terrazzo, with both materials available in different colour options
- The bases are available for use as a table lamp and floor lamp, both variants featuring a standard E27 bulb fitting
- The lamp is suitable for both private and office environments
- Qualified for contract use



COMMON LAMP COLLECTION DESIGN BY HAY

Fusing simple design language with a classic archetype, the Common Table and Floor Lamp series comprises a classic rice paper lantern design atop a slim stem and base. Designed as two separate elements that can be used apart or together, they form a harmonious pair, with the airy paper shade complementing the minimalist base perfectly. The lamp base is available as a table and floor variant, which supports the shade to create a soft glow that adds warmth and atmosphere to any space in the home.



Common Table Lamp Base | Soft black
Common Rice Paper Shade | Peach



Common Table Lamp Base | Soft black
Common Rice Paper Shade | Peach



Common Table Lamp Base | Signal red
Common Rice Paper Shade | Peach



Common Floor Lamp Base | Soft black
Common Rice Paper Shade | Oblong



Common Table Lamp Base | Signal red
Common Rice Paper Shade | Peach



COMMON TABLE & FLOOR LAMP BASE

MATERIALS

STEM
Powder coated steel stem and stem support

TOP BASE
Die cast steel with a powder coated finish (steel version).
Terrazzo (terrazzo version)

BOTTOM BASE
Die cast iron with a powder coated finish (steel version).
Terrazzo (terrazzo version)

CORD
Braided fabric cable with a silicone insulation and an on/off inline switch

PRODUCT INFORMATION

DESIGN YEAR
2022

COUNTRY OF ORIGIN
China

OPTIONS
Incl. UK Plug converter

COLOUR & FINISH | TABLE

Please note that the colours are indicative


	STEM	Soft black powder coated steel	Signal red powder coated steel	Summit grey powder coated steel
BASE				
Soft black powder coated steel				
Signal red powder coated steel				
Grey terrazzo				
Black terrazzo				

COLOUR & FINISH | FLOOR


Please note that the colours are indicative

	STEM	Soft black powder coated steel	Summit grey powder coated steel
BASE			
Soft black powder coated steel			
Grey terrazzo			
Black terrazzo			


DIMENSIONS | COMMON TABLE & FLOOR LAMP BASE




COMMON TABLE LAMP BASE | STEEL
Diameter 22 cm
Height 39 cm
Weight 1,96 kg




COMMON TABLE LAMP BASE | TERRAZZO
Diameter 22 cm
Height 39 cm
Weight 1,96 kg




COMMON TABLE LAMP | PEACH
Diameter 44 cm
Height 67 cm
Weight 1,96 kg




COMMON TABLE LAMP | OBLONG
Diameter 42 cm
Height 75 cm
Weight 1,96 kg




COMMON FLOOR LAMP BASE | STEEL
Diameter 35 cm
Height 129 cm
Weight 4,5 kg



COMMON FLOOR LAMP BASE | TERRAZZO
Diameter 35 cm
Height 129 cm
Weight 4,5 kg



COMMON FLOOR LAMP | PEACH
Diameter 44 cm
Height 155,5 cm
Weight 4,5 kg



COMMON FLOOR LAMP | OBLONG
Diameter 42 cm
Height 160,5 cm
Weight 4,5 kg



COMMON TABLE LAMP BASE

TECHNICAL SPECIFICATION

RECOMMENDED LIGHT SOURCE

LED E27 (EU) | LED E26 (US), 8-13W (max. 13W), 1000-1500lm,
2700K warm white
Bulb not included

DIMMABLE

No

POWER SUPPLY

220-240V AC at 50/60Hz (EU)
100-240V AC at 50/60Hz (US)

IP

20

CORD LENGTH

200 cm

SWITCH

Inline switch

TEST SPECIFICATION OUTPUTS

Photometrics and the test specification shown is taken using the recommended LED bulbs fitted in the production luminaire

LUMEN (LM)

1200-1300lm

KELVIN (CCT) & CRI (1-100)

The levels will vary depending on the type of bulb used in the lamp



COMMON FLOOR LAMP BASE

TECHNICAL SPECIFICATION

RECOMMENDED LIGHT SOURCE

LED E27, 8-13W (max. 13W) (EU), 1000-1500lm, 2700 warm white
Bulb not included

DIMMABLE

No

POWER SUPPLY

220-240V AC at 50/60Hz (EU)
100-240V AC at 50/60Hz (US)

IP

20

CORD LENGTH

295 cm

SWITCH

Inline floor switch

TEST SPECIFICATION OUTPUTS

Photometrics and the test specification shown is taken using the recommended LED bulbs fitted in the production luminaire

LUMEN (LM)

1200-1300lm

KELVIN (CCT) & CRI (1-100)

The levels will vary depending on the type of bulb used in the lamp

CERTIFICATES

ETL APPROVED

This product has been assessed and complies with the essential requirements of the certificate.

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.

LED CE IP20   UK
CA

Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 60598-2-4 (portable luminaires)
- EN 60598-1 (general requirements)
- EN 62493 (human exposure to EMC)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)





COMMON RICE PAPER SHADE

MATERIALS

SHADE
Rice paper and bamboo

WIRE
Steel wire inner structure


PRODUCT INFORMATION

DESIGN YEAR
2022

COUNTRY OF ORIGIN
China


COLOUR & FINISH

Please note that the colours are indicative



PHOTOMETRICS

OBLONG



PEACH

