

# Balloon

wall light



## Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Photometric data and technical information	Page 2
5. Ordering codes	Page 3
6. Certifications & standards	Page 4
7. Maintenance & Cleaning	Page 4

## Versions



BAL\_3050  
BAL\_3050L  
Page 3

# Balloon

wall light

## 1. Product overview

Wall-mounted light providing soft, diffused illumination through a satin-finished translucent polyethylene shade, offering ambient lighting.

Features a pull-switch on the cord, which can be disconnected if needed.

Model A-3050L includes a three-position switch to control both ambient and night light modes.



## 2. Finishes and Materials



74 White

## 3. Light Source & Dimming

### Lamping (3050 version):

LED up to 20W / E27 / 120V - 240V

On/Off Switch

### Lamping (3050L version):

LED up to 20W / E27 / 120V - 240V

Secondary bulb:

LED 0,5W / E14 / 120V - 240V


Nightlight / 3-way switch

## 4. Photometric Data and Technical Information

Photometric data corresponds to the output of each individual lamp.

Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.



# Balloon

wall light

## 5. Ordering Codes

### Lamping 3050

LED up to 20W / E27 / 120V - 240V

On/Off Switch

### Lamping 3050L

LED up to 20W / E27 / 120V - 240V

Secondary bulb:

LED 0,5W / E14 / 120V - 240V

Nightlight / 3-way switch


### Finishes

74 White



### Drawing

BAL\_3050



### Switch

On/Off switch

3-way switch

### Finish Body

White

White

### Ordering Code

BAL\_3050\_74

BAL\_3050L\_74

---

# Balloon

wall light

---

## 6. Certifications & Standards



Warranty: 2 years

100% made in Spain

---

## 7. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.