

Canut

wall light



Table of contents

| | |
|---|--------|
| 1. Product overview | Page 2 |
| 2. Finishes and materials | Page 2 |
| 3. Light Source & dimming | Page 2 |
| 4. Photometric data and technical information | Page 2 |
| 5. Ordering codes | Page 3 |
| 6. Certifications & standards | Page 4 |
| 7. Maintenance & Cleaning | Page 4 |

Versions



CAN_3751
Page 3

Canut

wall light

1. Product overview

Metal wall light designed for ambient and task lighting, combining indirect illumination with a direct, adjustable reading arm. The reading light includes its own On/Off switch, while the indirect light is controlled by a wall switch. Both lights operate on separate circuits but can be wired to the same switch during installation if preferred. A visible chrome swivel joint on the reading arm adds a refined design detail across all finishes.



2. Finishes and Materials



26 Black
74 White

3. Light Source & Dimming

Lamping

LED 3W (3000K / Ang. 50° / >90 CRI / 350mA)
100V - 240V / Typ 350 lumens / Non dimmable
On/Off switch for reading light (2 circuits)
*Integrated LED module (included).

Secondary bulb


LED 1W (3000K / Ang. 120° / >80 CRI / 24V)
100V - 240V / Typ 150 lumens / Non dimmable

5. Photometric Data and Technical Information


Photometric data corresponds to the output of each individual lamp.
Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.

Reading light
(principal bulb)



Indirect light
(secondary bulb)



Canut

wall light

6. Ordering Codes

Lamping

LED 3W (3000K / Ang. 50° / >90 CRI / 350mA)
 100V - 240V / Typ 350 lumens / Non dimmable
 On/Off switch for reading light (2 circuits)
 *Integrated LED module (included).

Secondary bulb

LED 1W (3000K / Ang. 120° / >80 CRI / 24V)
 100V - 240V / Typ 150 lumens / Non dimmable


Finishes

26 Black
 74 White



Drawing

CAN_3571



Mounting

Wall light.
 Surface mounted.

Finish Body

Black
 White


Ordering Code

CAN_3571_26M
 CAN_3571_74M

Canut

wall light

7. Certifications & Standards



Warranty: 2 years

100% made in Spain

8. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.