

Circ


wall light




Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Installation	Page 3
5. Photometric data and technical information	Page 3
6. Ordering codes	Page 4
7. Certifications & standards	Page 6
8. Maintenance & Cleaning	Page 6


Versions:




CIR_3702
Page 4



CIR_3704
Page 4



CIR_3706
Page 5



CIR_3706A (with demister system)
Page 5

Circ

wall light

1. Product overview

Round mirror with integrated dimmable LED, providing soft, diffused illumination through a satin-finished opal glass shade. The glass emits a gentle glow that offers general ambient lighting, ideal for creating a warm and even atmosphere.

Model CIR_3706A includes an integrated demister system to prevent fogging.



2. Finishes and Materials



Shade:

Glass

Mirror: CIR_3702

23 Smoked Grey

65 Smoked Bronze

CIR_3704

00 Plain

CIR_3706/CIR_3706A

00 Plain

3. Light Source & Dimming

Lamping

LED 10W (2700K / Ang. 120° / >90 CRI) 230V / Typ* 870 lumens

*Integrated LED module (included).

Dimming options:

Standard: TRIAC


Optional: DALI

Circ


wall light

4. Installation

The mirror allows choosing between 4 different assembly positions. The position is determined and should be decided at the moment prior to the installation of the mirror.



Supplied with 4 mounting brackets; minimum of 2 must be securely fixed to the wall for safe installation




5. Photometric Data and Technical Information

Photometric data corresponds to the output of each individual lamp. Access to photometric files in download area.

2D / 3D / BIM Files available.

Access to files in download area here.



Circ

wall light

6. Ordering Codes

Lamping

LED 10W (2700K / Ang 120° / >90 CRI) 230V

Typ* 870 lumens

DIM: TRIAC (Optional DALI)

Finishes

Shade:

Glass

Mirror:

23 Smoked Grey

65 Smoked Bronze



Drawing	Mounting	Finish Mirror	Ordering Code
CIR_3702 	Wall mounted support	Smoked Grey	CIR_3702_23W
		Smoked Bronze	CIR_3702_65W

Lamping per head

LED 10W (2700K / Ang 120° / >90 CRI) 230V

Typ* 870 lumens

DIM: TRIAC (Optional DALI)

Finishes

Shade:

Glass

Mirror:

00 Plain



Drawing	Mounting	Finish Mirror	Ordering Code
CIR_3704 	Wall mounted support	Plain	CIR_3704_00W

Circ

wall light

6. Ordering Codes

Lamping

LED 10W (2700K / Ang 120° / >90 CRI) 230V

Typ* 870 lumens

DIM: TRIAC (Optional DALI)

Finishes

Shade:

Mirror:


Glass

00 Plain



Drawing	Mounting	Finish Mirror	Ordering Code
<p>CIR_3706</p>	Wall mounted support	Plain	CIR_3706_00W
<p>CIR_3706A</p>	Wall mounted support	Plain with demister system	CIR_3706A_00W

7. Certifications & Standards



Warranty: 2 years
100% made in Spain

8. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.