

---

# Flow

wall light

---



---

## Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Photometric data and technical information	Page 2
5. Ordering codes	Page 3
6. Certifications & standards	Page 4
7. Maintenance & Cleaning	Page 4

---

## Versions



3730  
Page 3

# Flow


wall light

## 1. Product overview

Metallic wall-mounted lamp ideal for accent or ambient lighting with a smashed, tubular aluminium shade and acrylic (PMMA) lens diffuser and integrated LED providing direct light.



## 2. Finishes and Materials



74 White  
26 Black  
61 Satin Gold

## 3. Light Source & Dimming

### Lamping

LED 6,2W (2700K / Ang. 90° / >90 CRI / 350mA) Typ\* 725 lumens / 100V - 240V / Non dimmable

\*Integrated LED module (included).

### Dimming options:


Standard: NON DIMMABLE

Optional: TRIAC, DALI, CASAMBI

## 4. Photometric Data and Technical Information

Photometric data corresponds to the output of each individual lamp.  
Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.



# Flow

wall light

## 5. Ordering Codes

### Lamping

LED 6,2W (2700K / Ang. 90° / >90 CRI / 350mA)  
 Typ\* 725 lumens / 100V - 240V / Non dimmable  
 \*Integrated LED module (included).


### Dimming options:

Standard: NON DIMMABLE

Optional: TRIAC, DALI, CASAMBI

### Finishes

74 White  
 26 Black  
 61 Satin Gold

Drawing	Mounting	Finish Body	Ordering Code
FLO_3730 	Wall light Surface mounted	White	FLO_3730_74W
		Black	FLO_3730_26W
		Satin Gold	FLO_3730_61W


---

# Flow

wall light

---

## 6. Certifications & Standards



Warranty: 2 years

100% made in Spain

---

## 7. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.