

Gada

suspension lamp



Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Photometric Data and Technical Information	Page 3
5. Recommended use & Installation height	Page 3
6. Installation	Page 3
7. Functionality	Page 3
8. Ordering codes	Page 4
9. Certifications & standards	Page 6
10. Maintenance & Cleaning	Page 6

Versions



GAD_3924
Page 4



GAD_3925
Page 4

Gada

suspension lamp

1. Product overview

Suspended lamp for general or accent lighting. Metallic shade supported by a single steel cable, allowing tilting, directional adjustment, and height regulation.

The integrated LED is concealed in the upper section, projecting light upward onto the inner surface of the shade, which reflects it downward to provide indirect illumination on tables, counters, or nearby surfaces.

Shade customizable with textured vinyl finishes — including concrete, wood, or marble effects.

Optional recessed canopy sits flush with the ceiling and requires a Ø55 mm cut-out and a remote driver.



2. Finishes and Materials



Canopy: 74 White

Shade: 74 White

Textured vinyl shade: 50 Marble
51 Concrete
52 Wood

3. Light Source & Dimming

Lamping (3924):

LED 22W (3000K / Ang. 90° / >90 CRI / 500mA)

230V / Typ* 3150 lumens

*Integrated LED module (included).

Dimming options:

Standard: TRIAC

Optional: DALI, CASAMBI

Lamping (3925):

LED 33W (3000K / Ang. 90° / >90 CRI / 500mA)

230V / Typ* 4725 lumens

*Integrated LED module (included).

Dimming options:

Standard: TRIAC

Optional: DALI, CASAMBI


Gada

suspension lamp

4. Photometric Data and Technical Information

Photometric data corresponds to the output of each individual lamp. Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.




5. Recommended use & Installation height

Suitable for general lighting, as well as for direct illumination above dining tables, countertops, bars, or desks. We **recommend positioning** the light source approximately **85 cm above the surface**. For more accurate information, refer to the photometric report.

6. Installation

Surface canopy



Recessed canopy with remote driver



 Ø 55 mm drill in
dropped ceiling

7. Functionality

Once installed, the shade can be effortlessly tilted to direct the light. Its pendant design enhances this versatility, allowing you to adapt the light's orientation.



Gada

suspension lamp

8. Ordering Codes

Lamping 3924

LED 22W (3000K / Ang. 90° / >90 CRI / 500mA)
230V / Typ* 3150 lumens

*Integrated LED module (included).

DIM: TRIAC (Optional DALI, CASAMBI)

Finishes:

Canopy: Shade:
74 White 74 White

Textured vinyl shade:

50 Marble
51 Concrete
52 Wood

Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code
<p>GAD_3924S</p>	<p>Surface mounted. Driver in the canopy.</p>	White	White	GAD_3924S_7474M
		White	Marble	GAD_3924S_7450M
		White	Concrete	GAD_3924S_7451M
		White	Wood	GAD_3924S_7452M
<p>GAD_3924R</p>	<p>Recessed, Remote driver Ø 55 mm drill</p>	White	White	GAD_3924R_7474M
		White	Marble	GAD_3924R_7450M
		White	Concrete	GAD_3924R_7451M
		White	Wood	GAD_3924R_7452M

Gada

suspension lamp

8. Ordering Codes

Lamping 3925

LED 33W (3000K / Ang. 90° / >90 CRI / 500mA)
230V / Typ* 4725 lumens

*Integrated LED module (included).



DIM: TRIAC (Optional DALI, CASAMBI)

Finishes:

Canopy: Shade:
74 White 74 White

Textured vinyl shade:


50 Marble
51 Concrete
52 Wood

Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code
<p>GAD_3925S</p> 	<p>Surface mounted. Driver in the canopy.</p>	White	White	GAD_3925S_7474M
		White	Marble	GAD_3925S_7450M
		White	Concrete	GAD_3925S_7451M
		White	Wood	GAD_3925S_7452M
<p>GAD_3925R</p> 	<p>Recessed, Remote driver Ø 55 mm drill</p>	White	White	GAD_3925R_7474M
		White	Marble	GAD_3925R_7450M
		White	Concrete	GAD_3925R_7451M
		White	Wood	GAD_3925R_7452M

Gada

suspension lamp

9. Certifications & Standards



Warranty: 2 years
100% made in Spain

10. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.