
Maine

ceiling and wall light



Table of contents

| | |
|-------------------------------|--------|
| 1. Product overview | Page 2 |
| 2. Finishes and materials | Page 2 |
| 3. Light Source & dimming | Page 2 |
| 4. Ordering codes | Page 3 |
| 5. Certifications & standards | Page 4 |
| 6. Maintenance & Cleaning | Page 4 |

Versions



3410
Page 3

Maine

ceiling and wall light

1. Product overview

Metallic ceiling and wall-mounted lamp ideal for accent or ambient lighting providing direct light.
Acrylic bottom diffuser.



2. Finishes and Materials



45 Metallic Copper
20 Metallic Gold

3. Light Source & Dimming

Lamping

LED 10W (2700K / Ang. 90° / >90 CRI) 230V / Typ* 870 lumens / Dimmable Triac

*Integrated LED module (included).

Dimming options: DALI

Maine

ceiling and wall light

4. Ordering Codes

Lamping 3410


LED 10W (2700K / Ang. 90° / >90 CRI)
230V / Typ* 870 lumens / Dimmable Triac
*Integrated LED module (included).

DIM: DALI

Finishes

45 Metallic Copper
20 Metallic Gold




| Drawing | Mounting | Finish | Ordering Code |
|--|-------------------------------|-----------------|---------------|
| MAI_3410  | Wall light Surface mounted | Metallic Copper | MAI_3410_45W |
| | | Metallic Gold | MAI_3410_20W |

Maine

ceiling and wall light

5. Certifications & Standards



Warranty: 2 years

100% made in Spain

6. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.