

Mood

suspension lamp




Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Photometric Data and Technical Information	Page 3
5. Functionality	Page 3
6. Recommended use & Installation height	Page 3
7. Ordering codes	Page 4
8. Certifications & standards	Page 5
9. Maintenance & Cleaning	Page 5

Versions



MOO_4065
Page 4

Mood

suspension lamp

1. Product overview

Metallic suspension lamp for accent or ambient lighting, featuring a circular metal shade with folded edges concealing the integrated LED strip to provide soft indirect illumination. Shade is completely independent of the support magnet and it can be mounted facing up, down or in any position even after installation. Adjustable height.

Push button dimmer on the cord. Universal plug.

Electrical socket is required.



2. Finishes and Materials



Anchor: 00 Steel

Body: 74 White

91 Nude

3. Light Source & Dimming

Lamping

LED 19W (2700K / Ang. 120° / >80 CRI / 24V)

100V - 240V / Typ* 1800 lumens

*Integrated LED module (included).

Push button dimmer on the cord.

Universal plug.

Direct or indirect light.

Mood


suspension lamp

4. Photometric Data and Technical Information


Photometric data corresponds to the output of each individual lamp. Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.

White finish




Nude finish



5. Functionality

Possible shapes: Its magnetic system allows the shade to be positioned facing up or facing down with ease after installation.



6. Recommended use & Installation height

Suitable for general lighting, as well as for direct illumination above dining tables, countertops, bars, or desks. We **recommend positioning** the light source approximately **85 cm above the surface**. For more accurate information, refer to the photometric report.

Mood

suspension lamp

7. Ordering Codes

Lamping

LED 19W (2700K / Ang. 120° / >80 CRI / 24V)

100V - 240V / Typ* 1800 lumens

*Integrated LED module (included).

Push button dimmer on the cord.

Universal plug.

Finishes:

Anchor:
00 Steel

Body:
74 White
91 Nude




Drawing	Mounting	Finish Anchor	Finish Body	Ordering Code
MOO_4065	No hardwiring required. Plug-in system.	Steel	White	MOO_4065_0074W
		Steel	Nude	MOO_4065_0091W

Mood

suspension lamp

8. Certifications & Standards



Warranty: 2 years
100% made in Spain

9. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.