


# Revolta

suspension lamp



**Configurator.estiluz.com**  
Customize your creation with our configurator, preview it in a virtual room and augmented reality.



## Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Functionality & Accessories	Page 3
5. Photometric data and technical information	Page 3
6. Installation	Page 4
7. Recommended use & Installation height	Page 4
8. Ordering codes	Page 5
9. Certifications & standards	Page 16
10. Maintenance & Cleaning	Page 16


## Versions



3635  
Page 5-6



3636  
Page 7-8



Linear Clusters  
Page 9-13



Round Clusters  
Page 14-15

# Revolta

suspension lamp

## 1. Product overview

Suspension lamp with a circular body, cylindrical aluminium heads, and acrylic (PMMA) lens diffusers.

Optional embedded aluminium optic lens with a 30° beam angle. Height adjustable. Optional decorative sound-absorbing panel. Possibility to create different compositions. Recessed canopy option sits flush against the ceiling and requires a Ø 50 mm cut-out and a remote driver.



## 2. Finishes and Materials

**Head:** 26 Black  
61 Satin Gold

**Canopy:** 26 Black  
74 White

**Acoustic Fabric Panel:** 75 Beige  
90 Grey  
95 Green

**Body:** 26 Black

**Acoustic Foam Panel:** 26 Black



Other finishes available, consult our offices.

## 3. Light Source & Dimming

### Lamping per head

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V  
2700K / Typ\* 725 lumens  
3000K / Typ\* 763 lumens

\*Integrated LED module (included).

### Dimming options:

Standard: TRIAC  
Optional: DALI, CASAMBI

**Optional optic lens:** embedded aluminium optic lens 30°.

# Revolta

suspension lamp

## 4. Functionality & Accessories

### Two possible optic lenses

Standard configuration provides acrylic optic. It provides diffuse, uniform illumination and is visible as a decorative light line when viewed from the side. With a **60° beam angle**.

Optional architectural optic conceals the LED source within a conical aluminium lens. It projects light exclusively downward (no lateral emission), with a **30° beam angle**.



Standard  
Acrylic optic lens  
60° beam angle



Optional  
Optic lens  
30° beam angle

### Optional acoustic panels

Acoustic Fabric Panel:  
 $\alpha_w = 0,4$  (Sound absorption indicator)  
95% Virgin wool, 5% polyamide

Acoustic Foam Panel:  
 $\alpha_w = 0,25$  (Sound absorption indicator)  
60% recycled bottles (PET)

Finish	Material		Ø 380 - 3635		Ø 600 - 3636
75 Beige	Fabric		123635750		123636750
90 Grey	Fabric		123635900		123636900
95 Green	Fabric		123635950		123636950
26 Black	Foam		123635260A		123636260A

# Revolta


suspension lamp

## 5. Photometric Data and Technical Information


Photometric data corresponds to the output of each individual lamp. Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.

Optic lens 60°



Optic lens 30°



## 6. Installation

### Single canopy

Surface



Recessed with remote driver



Ø 50 mm drill in dropped ceiling

### Clusters

Linear




Round





## 7. Recommended use & Installation height

Suitable for general lighting, as well as for direct illumination above dining tables, countertops, bars, or desks. We **recommend positioning** the light source approximately **85 cm above the surface**. For more accurate information, refer to the photometric report.

Standard Acrylic Lens




Embedded Aluminium Lens



# Revolta

suspension lamp



**Configurator.estiluz.com**  
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

## 8. Ordering Codes

### Lamping 3635S

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V

2700K / Typ\* 725 lumens

3000K / Typ\* 763 lumens

\*Integrated LED module (included).

**DIM:** TRIAC (Optional: DALI, CASAMBI)

**Accessory:** decorative sound absorbing panel.

**Optional optic lens:** embedded aluminium optic lens 30°.

**Canopy:** Single Surface  
 Driver in the canopy

### Finishes

Canopy:  
 26 Black  
 74 White

Body:  
 26 Black

Head:  
 26 Black  
 61 Satin Gold




Drawing	Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
REV_3635S	Black	Black / Black	REV_3635S_262626W	REV_3635S_262626M
	White	Black / Black	REV_3635S_742626W	REV_3635S_742626M
	Black	Black / Satin Gold	REV_3635S_262661W	REV_3635S_262661M
	White	Black / Satin Gold	REV_3635S_742661W	REV_3635S_742661M

### Lens Ordering Codes:


One 30° embedded lens per head

Black	1 unit of 123530263
Satin Gold	1 unit of 123530613
White	1 unit of 123530713



# Revolta

suspension lamp



**Configurator.estiluz.com**  
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

## 8. Ordering Codes

### Lamping 3635R

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V

2700K / Typ\* 725 lumens

3000K / Typ\* 763 lumens

\*Integrated LED module (included).

**DIM:** TRIAC (Optional: DALI, CASAMBI)

**Accessory:** decorative sound absorbing panel.

**Optional optic lens:** embedded aluminium optic lens 30°.

**Canopy:** Single Recessed  
 Remote driver. Ø 50mm drill

### Finishes

Canopy:  
 26 Black  
 74 White

Body:  
 26 Black

Head:  
 26 Black  
 61 Satin Gold




Drawing	Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
	Black	Black / Black	REV_3635R_262626W	REV_3635R_262626M
	White	Black / Black	REV_3635R_742626W	REV_3635R_742626M
	Black	Black / Satin Gold	REV_3635R_262661W	REV_3635R_262661M
	White	Black / Satin Gold	REV_3635R_742661W	REV_3635R_742661M

<b>Lens Ordering Codes:</b>	Black	1 unit of 123530263
One 30° embedded lens per head	Satin Gold	1 unit of 123530613
	White	1 unit of 123530713

# Revolta

suspension lamp



**Configurator.estiluz.com**  
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

## 8. Ordering Codes

### Lamping 3636S

LED 2x6,2W (Ang. 60° / >90 CRI / 350mA) 230V  
 2700K / Typ\* 2x725 lumens  
 3000K / Typ\* 2x763 lumens  
 \*Integrated LED module (included).

**DIM:** TRIAC (Optional: DALI, CASAMBI)

**Accessory:** decorative sound absorbing panel.

**Optional optic lens:** embedded aluminium optic lens 30°.

**Canopy:** Single Surface  
 Driver in the canopy

### Finishes

Canopy:  
 26 Black  
 74 White

Body:  
 26 Black


Head:  
 26 Black  
 61 Satin Gold



Drawing	Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
<p>REV_3636S</p> <p>44 mm / 1.3/4"</p> <p>max. 4600 mm / max. 181.1/8"</p> <p>270 mm / 10.5/8"</p> <p>40 mm / 1.5/8"</p> <p>max. 886 mm / 34.7/8"</p> <p>100 mm / 3.7/8"</p> <p>600 mm / 23.5/8"</p> <p>Ø 35 mm / Ø 1.3/8"</p>	Black	Black / Black	REV_3636S_262626W	REV_3636S_262626M
	White	Black / Black	REV_3636S_742626W	REV_3636S_742626M
	Black	Black / Satin Gold	REV_3636S_262661W	REV_3636S_262661M
	White	Black / Satin Gold	REV_3636S_742661W	REV_3636S_742661M
<p><b>Lens Ordering Codes:</b></p> <p>One 30° embedded lens per head</p>			Black	2 units of 123530263
			Satin Gold	2 units of 123530613
			White	2 units of 123530713

# Revolta

suspension lamp



**Configurator.estiluz.com**  
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

## 8. Ordering Codes

### Lamping 3636R

LED 2x6,2W (Ang. 60° / >90 CRI / 350mA) 230V

2700K / Typ\* 2x725 lumens

3000K / Typ\* 2x763 lumens

\*Integrated LED module (included).

**DIM:** TRIAC (Optional: DALI, CASAMBI)

**Accessory:** decorative sound absorbing panel.

**Optional optic lens:** embedded aluminium optic lens 30°.

**Canopy:** Single Recessed  
 Remote driver. Ø 50mm drill

### Finishes

Canopy:

26 Black

74 White

Body:

26 Black

Head:

26 Black

61 Satin Gold




Drawing	Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
	Black	Black / Black	REV_3636R_262626W	REV_3636R_262626M
	White	Black / Black	REV_3636R_742626W	REV_3636R_742626M
	Black	Black / Satin Gold	REV_3636R_262661W	REV_3636R_262661M
	White	Black / Satin Gold	REV_3636R_742661W	REV_3636R_742661M

<b>Lens Ordering Codes:</b>	Black	2 units of 123530263
One 30° embedded lens per head	Satin Gold	2 units of 123530613
	White	2 units of 123530713

# Revolta

suspension lamp



**Configurator.estiluz.com**  
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

## 8. Ordering Codes

### Lamping L73S2D

LED 4x6,2W (Ang. 60° / >90 CRI / 350mA) 230V  
 2700K / Typ\* 4x725 lumens  
 3000K / Typ\* 4x763 lumens  
 \*Integrated LED module (included).

**DIM:** TRIAC (Optional: DALI, CASAMBI)

**Accessory:** decorative sound absorbing panel.

**Optional optic lens:** embedded aluminium optic lens 30°.


**Canopy:** Multiple Linear Surface Driver in the canopy

### Finishes

Canopy:  
 26 Black  
 74 White

Body:  
 26 Black


Head:  
 26 Black  
 61 Satin Gold



Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
		2700K	3000K
Black	Black / Black	REV_L73S2D_262626W	REV_L73S2D_262626M
White	Black / Black	REV_L73S2D_742626W	REV_L73S2D_742626M
Black	Black / Satin Gold	REV_L73S2D_262661W	REV_L73S2D_262661M
White	Black / Satin Gold	REV_L73S2D_742661W	REV_L73S2D_742661M

## Drawing

REV\_L73S2D




### Lens Ordering Codes:

One 30° embedded lens per head

Black	4 units of 123530263
Satin Gold	4 units of 123530613
White	4 units of 123530713

# Revolta

suspension lamp



**Configurator.estiluz.com**  
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

## 8. Ordering Codes

### Lamping L73S1S1D

LED 3x6,2W (Ang. 60° / >90 CRI / 350mA) 230V

2700K / Typ\* 3x725 lumens

3000K / Typ\* 3x763 lumens

\*Integrated LED module (included).

**DIM:** TRIAC (Optional: DALI, CASAMBI)

**Accessory:** decorative sound absorbing panel.

**Optional optic lens:** embedded aluminium optic lens 30°.


**Canopy:** Multiple Linear Surface Driver in the canopy

### Finishes

Canopy:  
 26 Black  
 74 White

Body:  
 26 Black


Head:  
 26 Black  
 61 Satin Gold



Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
		2700K	3000K
Black	Black / Black	REV_L73S1S1D_262626W	REV_L73S1S1D_262626M
White	Black / Black	REV_L73S1S1D_742626W	REV_L73S1S1D_742626M
Black	Black / Satin Gold	REV_L73S1S1D_262661W	REV_L73S1S1D_262661M
White	Black / Satin Gold	REV_L73S1S1D_742661W	REV_L73S1S1D_742661M

## Drawing

REV\_L73S1S1D




### Lens Ordering Codes:

One 30° embedded lens per head

Black	3 units of 123530263
Satin Gold	3 units of 123530613
White	3 units of 123530713

# Revolta

suspension lamp



**Configurator.estiluz.com**  
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

## 8. Ordering Codes

### Lamping L92S1S1D

LED 3x6,2W (Ang. 60° / >90 CRI / 350mA) 230V  
 2700K / Typ\* 3x725 lumens  
 3000K / Typ\* 3x763 lumens  
 \*Integrated LED module (included).

**DIM:** TRIAC (Optional: DALI, CASAMBI)

**Accessory:** decorative sound absorbing panel.

**Optic lens:** embedded aluminium optic lens 30°.


**Canopy:** Multiple Linear Surface Driver in the canopy

### Finishes

Canopy:  
 26 Black  
 74 White

Body:  
 26 Black


Head:  
 26 Black  
 61 Satin Gold



Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
		2700K	3000K
Black	Black / Black	REV_L92S1S1D_262626W	REV_L92S1S1D_262626M
White	Black / Black	REV_L92S1S1D_742626W	REV_L92S1S1D_742626M
Black	Black / Satin Gold	REV_L92S1S1D_262661W	REV_L92S1S1D_262661M
White	Black / Satin Gold	REV_L92S1S1D_742661W	REV_L92S1S1D_742661M

## Drawing

REV\_L92S1S1D




### Lens Ordering Codes:

One 30° embedded lens per head

Black	3 units of 123530263
Satin Gold	3 units of 123530613
White	3 units of 123530713

# Revolta

suspension lamp



**Configurator.estiluz.com**  
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

## 8. Ordering Codes

### Lamping L165S5D

LED 10x6,2W (Ang. 60° / >90 CRI / 350mA) 230V  
 2700K / Typ\* 10x725 lumens  
 3000K / Typ\* 10x763 lumens  
 \*Integrated LED module (included).

**DIM:** TRIAC (Optional: DALI, CASAMBI)

**Accessory:** decorative sound absorbing panel.

**Optic lens:** embedded aluminium optic lens 30°.

**Canopy:** Multiple Linear Surface Driver in the canopy

### Finishes

Canopy:  
 26 Black  
 74 White

Body:  
 26 Black


Head:  
 26 Black  
 61 Satin Gold



Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
Black	Black / Black	REV_L165S5D_262626W	REV_L165S5D_262626M
White	Black / Black	REV_L165S5D_742626W	REV_L165S5D_742626M
Black	Black / Satin Gold	REV_L165S5D_262661W	REV_L165S5D_262661M
White	Black / Satin Gold	REV_L165S5D_742661W	REV_L165S5D_742661M

## Drawing

REV\_L165S5D




### Lens Ordering Codes:

One 30° embedded lens per head

Black	10 units of 123530263
Satin Gold	10 units of 123530613
White	10 units of 123530713

# Revolta

suspension lamp



**Configurator.estiluz.com**  
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

## 8. Ordering Codes

### Lamping L40S1S1D

LED 3x6,2W (Ang. 60° / >90 CRI / 350mA) 230V

2700K / Typ\* 3x725 lumens

3000K / Typ\* 3x763 lumens

\*Integrated LED module (included).

**DIM:** TRIAC (Optional: DALI, CASAMBI)

**Accessory:** decorative sound absorbing panel.

**Optic lens:** embedded aluminium optic lens 30°.


**Canopy:** Multiple Oval Surface Driver in the canopy

### Finishes

Canopy:  
 26 Black  
 74 White

Body:  
 26 Black


Head:  
 26 Black  
 61 Satin Gold



Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
		2700K	3000K
Black	Black / Black	REV_L40S1S1D_262626W	REV_L40S1S1D_262626M
White	Black / Black	REV_L40S1S1D_742626W	REV_L40S1S1D_742626M
Black	Black / Satin Gold	REV_L40S1S1D_262661W	REV_L40S1S1D_262661M
White	Black / Satin Gold	REV_L40S1S1D_742661W	REV_L40S1S1D_742661M

## Drawing

REV\_L40S1S1D




### Lens Ordering Codes:

One 30° embedded lens per head

Black	3 units of 123530263
Satin Gold	3 units of 123530613
White	3 units of 123530713

# Revolta

suspension lamp



**Configurator.estiluz.com**  
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

## 8. Ordering Codes

### Lamping R70S3S

LED 3x6,2W (Ang. 60° / >90 CRI / 350mA) 230V

2700K / Typ\* 3x725 lumens

3000K / Typ\* 3x763 lumens

\*Integrated LED module (included).

**DIM:** TRIAC (Optional: DALI, CASAMBI)

**Accessory:** decorative sound absorbing panel.

**Optic lens:** embedded aluminium optic lens 30°.


**Canopy:** Multiple Round Surface Driver in the canopy

### Finishes

Canopy:  
 26 Black  
 74 White

Body:  
 26 Black


Head:  
 26 Black  
 61 Satin Gold



Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
		2700K	3000K
Black	Black / Black	REV_R70S3S_262626W	REV_R70S3S_262626M
White	Black / Black	REV_R70S3S_742626W	REV_R70S3S_742626M
Black	Black / Satin Gold	REV_R70S3S_262661W	REV_R70S3S_262661M
White	Black / Satin Gold	REV_R70S3S_742661W	REV_R70S3S_742661M

## Drawing

REV\_R70S3S




### Lens Ordering Codes:

One 30° embedded lens per head

Black	3 units of 123530263
Satin Gold	3 units of 123530613
White	3 units of 123530713

# Revolta

suspension lamp



**Configurator.estiluz.com**  
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

## 8. Ordering Codes

### Lamping R100S5S

LED 5x6,2W (Ang. 60° / >90 CRI / 350mA) 230V

2700K / Typ\* 5x725 lumens

3000K / Typ\* 5x763 lumens

\*Integrated LED module (included).

**DIM:** TRIAC (Optional: DALI, CASAMBI)

**Accessory:** decorative sound absorbing panel.

**Optic lens:** embedded aluminium optic lens 30°.

**Canopy:** Multiple Round Surface Driver in the canopy

### Finishes

Canopy:

26 Black

74 White


Body:

26 Black

Head:

26 Black


61 Satin Gold



Finish Canopy	Finish Body / Head	Ordering Code	Ordering Code
		2700K	3000K
Black	Black / Black	REV_R100S5S_262626W	REV_R100S5S_262626M
White	Black / Black	REV_R100S5S_742626W	REV_R100S5S_742626M
Black	Black / Satin Gold	REV_R100S5S_262661W	REV_R100S5S_262661M
White	Black / Satin Gold	REV_R100S5S_742661W	REV_R100S5S_742661M

## Drawing

REV\_R100S5S



### Lens Ordering Codes:

One 30° embedded lens per head

Black 5 units of 123530263

Satin Gold 5 units of 123530613

White

---

# Revolta

suspension lamp

---

## 9. Certifications & Standards

Surface Canopy     

Recessed Canopy     

Warranty: 2 years

100% made in Spain

---

## 10. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.