

Volta

floor lamp





Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Functionality & Accessories	Page 3
5. Photometric data and technical information	Page 3
6. Ordering codes	Page 4
7. Certifications & standards	Page 5
8. Maintenance & Cleaning	Page 5

Versions



3538
Page 4

Volta

floor lamp

1. Product overview

Table lamp with a cylindrical aluminium head and acrylic (PMMA) lens diffuser (60° beam angle) with integrated LED.

Optional embedded aluminium optic lens with a 30° beam angle for focused light.

Equipped with a push button dimmer on the head.



2. Finishes and Materials



Body & Head: 26 Black & 61 Satin Gold

26 Black

74 White

3. Light Source & Dimming

Lamping

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V

2700K / Typ* 725 lumens

3000K / Typ* 763 lumens

*Integrated LED module (included).

Push button dimmer on the head.

Optional optic lens: embedded aluminium optic lens 30°.

Volta

floor lamp

4. Functionality & Accessories

Two possible optic lenses

Standard configuration provides acrylic optic. It provides diffuse, uniform illumination and is visible as a decorative light line when viewed from the side. With a **60° beam angle**.

Optional architectural optic conceals the LED source within a conical aluminium lens. It projects light exclusively downward (no lateral emission), with a **30° beam angle**.



Standard
Acrylic optic lens
60° beam angle




Optional
Optic lens
30° beam angle

5. Photometric Data and Technical Information


Photometric data corresponds to the output of each individual lamp. Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.

Optic lens 60°



Optic lens 30°



Volta

floor lamp

6. Ordering Codes

Lamping 3538


LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V
 2700K / Typ* 725 lumens
 3000K / Typ* 763 lumens
 *Integrated LED module (included).

Optional optic lens: embedded aluminium
 optic lens 30°.

Push button dimmer on the head.

Finishes

Body & Head:
 26 Black & 61 Satin Gold
 26 Black
 74 White



Drawing	Finish Body	Finish Head	Ordering Code 2700K	Ordering Code 3000K
VOL_3538 	Black	Black	VOL_3538_2626W	VOL_3538_2626M
	Black	Satin Gold	VOL_3538_2661W	VOL_3538_2661M
	White	White	VOL_3538_7474W	VOL_3538_7474M


Lens Ordering Codes:

Black	1 unit of 123530263
One 30° embedded lens per head	Satin Gold 1 unit of 123530613
	White 1 unit of 123530713

Volta

floor lamp

7. Certifications & Standards



Warranty: 2 years

100% made in Spain

8. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.