


Volta

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.




Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Functionality & Accessories	Page 3
5. Photometric data and technical information	Page 3
6. Installation	Page 4
7. Recommended use & Installation height	Page 4
8. Ordering codes	Page 5
9. Certifications & standards	Page 10
10. Maintenance & Cleaning	Page 10

Versions



Single
Page 5-6



Multiple
Page 7-9

Volta

suspension lamp

1. Product overview

Suspension lamp with cylindrical aluminium head and acrylic (PMMA) lens diffuser. Optional embedded aluminium optic lens with a 30° beam angle. Height adjustable, with the possibility to create different compositions. Recessed canopy option sits flush against the ceiling or wall and requires a Ø45mm cut-out and a remote driver.



2. Finishes and Materials



Body & Head: 26 Black
74 White
26 Black & 61 Satin Gold

Canopy: 26 Black
74 White

PVC extra-thin electrical cable:
Black on all finishes except for white body (white cable).

3. Light Source & Dimming

Lamping per head (Surface Canopy)

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 100V - 240V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens
*Integrated LED module (included).

Dimming options:

Standard: NON DIMMABLE
Optional: TRIAC, DALI, CASAMBI

Optional optic lens: embedded
aluminium optic lens 30°.

Lamping per head (Recessed Canopy)

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens
*Integrated LED module (included).

Dimming options:

Standard: TRIAC
Optional: DALI, CASAMBI

Optional optic lens: embedded
aluminium optic lens 30°.

Volta

suspension lamp

4. Functionality & Accessories

Two possible optic lenses

Standard configuration provides acrylic optic. It provides diffuse, uniform illumination and is visible as a decorative light line when viewed from the side. With a **60° beam angle**.

Optional architectural optic conceals the LED source within a conical aluminium lens. It projects light exclusively downward (no lateral emission), with a **30° beam angle**.



Standard
Acrylic optic lens
60° beam angle




Optional
Optic lens
30° beam angle

5. Photometric Data and Technical Information


Photometric data corresponds to the output of each individual lamp. Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.

Optic lens 60°



Optic lens 30°



Volta

suspension lamp

6. Installation

Single canopy

Surface



Recessed with remote driver



 Ø 45 mm drill in
dropped ceiling

Clusters


Linear




7. Recommended use & Installation height

Suitable for general lighting, as well as for direct illumination above dining tables, countertops, bars, or desks. We **recommend positioning** the light source approximately **85 cm above the surface**. For more accurate information, refer to the photometric report.

Standard Acrylic Lens



Embedded Aluminium Lens



Volta

suspension lamp



Configurator.estiluz.com
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 3534S

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 100V - 240V
 2700K / Typ* 725 lumens
 3000K / Typ* 763 lumens
 *Integrated LED module (included).

DIM: NON DIMMABLE

(Optional: TRIAC, DALI, CASAMBI)

Optional optic lens: embedded aluminium optic lens 30°.

Canopy: Single Surface

Finishes

Body & Head:
 26 Black & 61 Satin Gold
 26 Black
 74 White

Canopy:
 26 Black
 74 White



Drawing	Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
	Black	Black / Black	VOL_3534S_262626W	VOL_3534S_262626M
	White	Black / Black	VOL_3534S_742626W	VOL_3534S_742626M
	Black	Black / Satin Gold	VOL_3534S_262661W	VOL_3534S_262661M
	White	Black / Satin Gold	VOL_3534S_742661W	VOL_3534S_742661M
	White	White / White	VOL_3534S_747474W	VOL_3534S_747474M

Lens Ordering Codes:

One 30° embedded lens per head

Black	1 unit of 123530263
Satin Gold	1 unit of 123530613
White	1 unit of 123530713

Volta

suspension lamp



Configurator.estiluz.com
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 3534R

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V
 2700K / Typ* 725 lumens
 3000K / Typ* 763 lumens
 *Integrated LED module (included).

DIM: TRIAC (Optional: DALI, CASAMBI)

Optional optic lens: embedded aluminium optic lens 30°.

Canopy: Single Recessed

Finishes

Body & Head:
 26 Black & 61 Satin Gold
 26 Black
 74 White

Canopy:
 26 Black
 74 White



Drawing	Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
	Black	Black / Black	VOL_3534R_262626W	VOL_3534R_262626M
	White	Black / Black	VOL_3534R_742626W	VOL_3534R_742626M
	Black	Black / Satin Gold	VOL_3534R_262661W	VOL_3534R_262661M
	White	Black / Satin Gold	VOL_3534R_742661W	VOL_3534R_742661M
	White	White / White	VOL_3534R_747474W	VOL_3534R_747474M

Lens Ordering Codes:	Black	1 unit of 123530263
One 30° embedded lens per head	Satin Gold	1 unit of 123530613
	White	1 unit of 123530713

Volta

suspension lamp



Configurator.estiluz.com
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L73S3S

LED 3x6,2W (Ang. 60° / >90 CRI / 350mA) 230V
 2700K / Typ* 3x725 lumens
 3000K / Typ* 3x763 lumens
 *Integrated LED module (included).

DIM: TRIAC (Optional: DALI, CASAMBI)


Optional optic lens: embedded aluminium optic lens 30°.

Canopy: Multiple Surface

Finishes

Body & Head:
 26 Black & 61 Satin Gold
 26 Black
 74 White

Canopy:
 26 Black
 74 White



Drawing	Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
	Black	Black / Black	VOL_L73S3S_262626W	VOL_L73S3S_262626M
	White	Black / Black	VOL_L73S3S_742626W	VOL_L73S3S_742626M
	Black	Black / Satin Gold	VOL_L73S3S_262661W	VOL_L73S3S_262661M
	White	Black / Satin Gold	VOL_L73S3S_742661W	VOL_L73S3S_742661M
	White	White / White	VOL_L73S3S_747474W	VOL_L73S3S_747474M

Lens Ordering Codes:	Black	3 units of 123530263
One 30° embedded lens per head	Satin Gold	3 units of 123530613
	White	3 units of 123530713

Volta

suspension lamp



Configurator.estiluz.com
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L92S4S

LED 4x6,2W (Ang. 60° / >90 CRI / 350mA) 230V
 2700K / Typ* 4x725 lumens
 3000K / Typ* 4x763 lumens
 *Integrated LED module (included).

DIM: TRIAC (Optional: DALI, CASAMBI)


Optional optic lens: embedded aluminium optic lens 30°.

Canopy: Multiple Surface

Finishes

Body & Head:
 26 Black & 61 Satin Gold
 26 Black
 74 White

Canopy:
 26 Black
 74 White



Drawing	Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
VOL_L92S4S 	Black	Black / Black	VOL_L92S4S_262626W	VOL_L92S4S_262626M
	White	Black / Black	VOL_L92S4S_742626W	VOL_L92S4S_742626M
	Black	Black / Satin Gold	VOL_L92S4S_262661W	VOL_L92S4S_262661M
	White	Black / Satin Gold	VOL_L92S4S_742661W	VOL_L92S4S_742661M
	White	White / White	VOL_L92S4S_747474W	VOL_L92S4S_747474M

Lens Ordering Codes:

One 30° embedded lens per head

Black	4 units of 123530263
Satin Gold	4 units of 123530613
White	4 units of 123530713

Volta

suspension lamp



Configurator.estiluz.com
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L165S6S

LED 6x6,2W (Ang. 60° / >90 CRI / 350mA) 230V
 2700K / Typ* 6x725 lumens
 3000K / Typ* 6x763 lumens
 *Integrated LED module (included).

DIM: TRIAC (Optional: DALI, CASAMBI)

Optional optic lens: embedded aluminium optic lens 30°.

Canopy: Multiple Surface

Finishes

Body & Head:
 26 Black & 61 Satin Gold
 26 Black
 74 White

Canopy:
 26 Black
 74 White




Drawing	Finish Canopy	Finish Body / Head	Ordering Code 2700K	Ordering Code 3000K
	Black	Black / Black	VOL_L165S6S_262626W	VOL_L165S6S_262626M
	White	Black / Black	VOL_L165S6S_742626W	VOL_L165S6S_742626M
	Black	Black / Satin Gold	VOL_L165S6S_262661W	VOL_L165S6S_262661M
	White	Black / Satin Gold	VOL_L165S6S_742661W	VOL_L165S6S_742661M
	White	White / White	VOL_L165S6S_747474W	VOL_L165S6S_747474M

Lens Ordering Codes:	Black	6 units of 123530263
One 30° embedded lens per head	Satin Gold	6 units of 123530613
	White	6 units of 123530713

Volta

suspension lamp

9. Certifications & Standards



Warranty: 2 years

100% made in Spain

10. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.