


# Volta

table lamp



## Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Functionality & Accessories	Page 3
5. Photometric data and technical information	Page 3
6. Ordering codes	Page 4
7. Certifications & standards	Page 5
8. Maintenance & Cleaning	Page 5

## Versions



3537  
Page 4

# Volta

table lamp

## 1. Product overview

Table lamp with a cylindrical aluminium head and acrylic (PMMA) lens diffuser (60° beam angle) with integrated LED.

Optional embedded aluminium optic lens with a 30° beam angle for focused light.

Equipped with an on/off switch on the base.



## 2. Finishes and Materials



**Body & Head:** 26 Black & 61 Satin Gold

26 Black

74 White

## 3. Light Source & Dimming

### Lamping

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V

2700K / Typ\* 725 lumens

3000K / Typ\* 763 lumens

\*Integrated LED module (included).

On/Off switch on the base.

**Optional optic lens:** embedded aluminium optic lens 30°.

# Volta

table lamp

## 4. Functionality & Accessories

### Two possible optic lenses

Standard configuration provides acrylic optic. It provides diffuse, uniform illumination and is visible as a decorative light line when viewed from the side. With a **60° beam angle**.

Optional architectural optic conceals the LED source within a conical aluminium lens. It projects light exclusively downward (no lateral emission), with a **30° beam angle**.



Standard  
Acrylic optic lens  
60° beam angle




Optional  
Optic lens  
30° beam angle

## 5. Photometric Data and Technical Information


Photometric data corresponds to the output of each individual lamp. Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.

Optic lens 60°



Optic lens 30°



# Volta

table lamp

## 6. Ordering Codes

### Lamping 3537

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V

2700K / Typ\* 725 lumens

3000K / Typ\* 763 lumens

\*Integrated LED module (included).

**Optional optic lens:** embedded aluminium optic lens 30°.

On/Off switch on the base.

### Finishes

Body & Head:

26 Black & 61 Satin Gold

26 Black

74 White



Drawing	Finish Body	Finish Head	Ordering Code 2700K	Ordering Code 3000K
VOL_3537 	Black	Black	VOL_3537_2626W	VOL_3537_2626M
	Black	Satin Gold	VOL_3537_2661W	VOL_3537_2661M
	White	White	VOL_3537_7474W	VOL_3537_7474M

### Lens Ordering Codes:

One 30° embedded lens per head

Black	1 unit of 123530263
Satin Gold	1 unit of 123530613
White	1 unit of 123530713


---

# Volta

table lamp

---

## 7. Certifications & Standards



Warranty: 2 years

100% made in Spain

---

## 8. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.